Project	IEEE 802.16 Broadband Wireless Access Working Group < <u>http://ieee802.org/16</u> >		
Title	Correction of SBC_RSP message format		
Date Submitted	2005-03-13		
Source(s)	Jianjun Wu, Duke Dang, Lucy Chen HUAWEI	Voice: 86-21-68644808-24717 Fax: 86-21-50898375 mailto: dsjun@huawei.com	
	No.98,Lane91,Eshan Road,Pudong ,Shanghai,China Pudong Lujiazui Software Park ,200127 P.R. China,		
Re:	Contribution on comments to IEEE P802.16-2004/Cor1-D1		
Abstract	Correction of SBC_RSP message format		
Purpose	Adoption		
Notice	This document has been prepared to assist IEEE 802.16. It is offered as a basis for discussion and is not binding or the contributing individual(s) or organization(s). The material in this document is subject to change in form and content after further study. The contributor(s) reserve(s) the right to add, amend or withdraw material contained herein.		
Release	The contributor grants a free, irrevocable license to the IEEE to incorporate material contained in this contribution, and any modifications thereof, in the creation of an IEEE Standards publication; to copyright in the IEEE's name any IEEE Standards publication even though it may include portions of this contribution; and at the IEEE's sole discretion to permit others to reproduce in whole or in part the resulting IEEE Standards publication. The contributor also acknowledges and accepts that this contribution may be made public by IEEE 802.16.		
Patent Policy and Procedures	The contributor is familiar with the IEEE 802.16 Patent Policy and Procedures < <u>http://ieee802.org/16/ipr/patents/policy.html</u> >, including the statement "IEEE standards may include the known use of patent(s), including patent applications, provided the IEEE receives assurance from the patent holder or applicant with respect to patents essential for compliance with both mandatory and optional portions of the standard." Early disclosure to the Working Group of patent information that might be relevant to the standard is essential to reduce the possibility for delays in the development process and increase the likelihood that the draft publication will be approved for publication. Please notify the Chair < <u>mailto:chair@wirelessman.org</u> > as early as possible, in written or electronic form, if patented technology (or technology under patent application) might be incorporated into a draft standard being developed within the IEEE 802.16 Working Group. The Chair will disclose this notification via the IEEE 802.16 web site < <u>http://ieee802.org/16/ipr/patents/notices</u> >.		

Correct SBC_RSP message format

Jianjun Wu,Duke Dang,Lucy Chen HUAWEI

1. Introduction

In the current IEEE 802.16-2004, the message format of SBC_RSP message need insert Response field. It can refer to Figure 66 and Figure 67 of IEEE 802.16-2004. Otherwise, the flow of the basic capability negotiation can not been accomplished normally.

2. Proposed Text Changes

Add the text of Page 16_Line17 in IEEE P802.16-2004/Cor1-D1 in section 6.3.2.3.24 shown as following.

6.3.2.3.24 SS Basic Capability Response (SBC-RSP) message

[Insert row and text in following table as indicated:]

Table 52—SS SBC_RSP message format

Synax	Size	Notes
SBC_RSP Message Format{		
Management Message Type=27	8bits	
Response	8bits	
TLV Encoded Attributes	Variable	TLV specific
}		

[Change the following text as indicated:]

A BS shall generate SS SBC-RSPs in the form shown in Table 52, including both of the following parameters: **CID** *(in the MAC Header)*

The CID in the MAC Header is the Basic CID for this SS, as appears in the RNG-REQ message.

Response

A 1 byte quantity with one of the two values: 0 = OK 1 = Negotiate failure