

Project	IEEE 802.16 Broadband Wireless Access Working Group < http://ieee802.org/16 >	
Title	Table 1 Modifications to Clarify IEEE Std 802.16 System Variants	
Date Submitted	2008-01-22	
Source(s)	Lei Wang, Kenneth Stanwood, Roger Marks NextWave Broadband*	E-mail: lwang@nextwave.com ; kstanwood@nextwave.com ; rmarks@nextwave.com * < http://standards.ieee.org/faqs/affiliationFAQ.html >
Re:	IEEE 802.16 Working Group Letter Ballot Recirc #26a	
Abstract	<p>Table 1 was designed to provide a top-level overview of multiple variants of 802.16 systems. It served its purpose when it was introduced in 802.16a. However, since then, IEEE Std 802.16 has been growing with amendments and revisions. There is a clear need to update the Table 1 to accommodate these more recent 802.16 developments and to form a foundation for the addition of new specifications in projects such as P802.16h, P802.16j, and P802.16m. This contribution proposes such updates to Table 1.</p> <p><i>Note: Version 053r3 shows three elements of the proposal – 12.5, 12.7, and 12.8 – shown struck out (with double-strikethrough marks) at the request of the Maintenance Task Group Chair.</i></p>	
Purpose	To be discussed by the 802.16 Maintenance Task Group during WG Letter Ballot Recirc #26a comment resolution, for adoption into P802.16Rev2/D2.	
Notice	<i>This document does not represent the agreed views of the IEEE 802.16 Working Group or any of its subgroups. It represents only the views of the participants listed in the “Source(s)” field above. It is offered as a basis for discussion. It is not binding on the contributor(s), who reserve(s) the right to add, amend or withdraw material contained herein.</i>	
Release	The contributor grants a free, irrevocable license to the IEEE to incorporate material contained in this contribution, and any modifications thereof, in the creation of an IEEE Standards publication; to copyright in the IEEE’s name any IEEE Standards publication even though it may include portions of this contribution; and at the IEEE’s sole discretion to permit others to reproduce in whole or in part the resulting IEEE Standards publication. The contributor also acknowledges and accepts that this contribution may be made public by IEEE 802.16.	
Patent Policy	<p>The contributor is familiar with the IEEE-SA Patent Policy and Procedures: http://standards.ieee.org/guides/bylaws/sect6-7.html#6 and http://standards.ieee.org/guides/opman/sect6.html#6.3.</p> <p>Further information is located at http://standards.ieee.org/board/pat/pat-material.html and http://standards.ieee.org/board/pat.</p>	

Table 1 Modifications to Clarify IEEE Std 802.16 System Variants

Lei Wang, Kenneth Stanwood, Roger Marks
NextWave Broadband

Introduction

Contribution IEEE C802.16m-07/079 (“Proposed edits to Draft P802.16m Requirements (C802.16m-07/076r2) regarding Backward Compatibility and Profiles”) discussed problematic maintenance issues that have arisen with the development of amendments and revisions to IEEE Std 802.16. That contribution proposed a style for the 802.16m amendment, but it presupposed that the format of the base standard would be refined during the Rev2 development to form an appropriate basis for previous and future developments. This contribution proposes to address those concerns through edits to Table 1.

Table 1 was designed to provide a top-level overview of multiple variants of IEEE 802.16 systems. It served its purpose when it was introduced in IEEE 802.16a. However, since then, IEEE Std 802.16 has been growing with amendments and revisions. There is a clear need to update Table 1 to accommodate these more recent 802.16 developments and to form a foundation for the addition of new specifications in projects such as P802.16h, P802.16j, and P802.16m. This contribution proposes such updates to Table 1.

Proposed Table 1 Updates and Motivation

We propose the following updates to Table 1:

1. Change the column name “options” to “System Features”, and change the contents of the column to the references to the corresponding subclauses in Clause 12, which defines sets of system features to be used in typical implementation cases.
2. Divide the WirelessMAN-OFDM entry into two entries:
 - Fixed WirelessMAN-OFDM, to represent fixed systems, and
 - WirelessMAN-OFDM, to represent fixed and mobile systems originating in IEEE 802.16e.
3. split the WirelessMAN-OFDMA entry into four entries:
 - Fixed WirelessMAN-OFDMA, to represent fixed systems,
 - WirelessMAN-OFDMA TDD Rel. 1, to represent fixed and mobile systems prior to 802.16Rev2 (where “Rel.” is an abbreviation for “Release”)
 - WirelessMAN-OFDMA TDD Rel. 1r1, to represent fixed and mobile systems per 802.16Rev2
 - WirelessMAN-OFDMA FDD Rel. 1r1, to represent fixed and mobile systems per 802.16Rev2

The motivations of the proposed updates to Table 1 are:

- a. to clearly delineate the variants of IEEE Std 802.16 and the associated feature sets and versions;
- b. to ensure that each new variant of the standard is provided with a static designation indicative of

its name and release number, ensuring that support for that variant is continued indefinitely in future versions of the standard but with allowance for the naming of maintenance updates to the variant and its designation;

- c. to provide extendibility allowing IEEE Std 802.16 to evolve to accommodate new future developments while ensuring that compliant systems can remain compliant., For example, for IEEE 802.16j, a new entry WirelessMAN-OFDMA MMR Rel. 1 can be added to Table 1, and a corresponding subclause in Clause 12 can be added to list the set of MMR system features. Similarly, for 802.16m, new entries such as WirelessMAN-OFDMA TDD Rel. 2 and corresponding subclauses in Clause 12. can be added.

Suggested Changes to P802.16Rev2/D, subclause 1.3.4

In P802.16Rev2/D2, page 2, line 40, update the beginning of subclause 1.3.4, including Table 1, by the following material, where the new text is marked by blue and underlined, and the deleted text is marked by red with strikethrough.

1.3.4 Air interface variants and nomenclature

Table 1 summarizes the nomenclature for the various air interface variants in this standard.

Table 1 — Air Interface Variants and Nomenclature

Designation	Applicability	PHY Specification	Options <u>System Features</u>	Duplexing alternative
WirelessMAN-SC TM <u>Rel. 1</u>	10 – 66 GHz	8.1	<u>12.1</u>	TDD FDD
<u>Fixed</u> WirelessMAN-OFDM TM	licensed bands below 11 GHz	8.3	AAS (6.3.7.6) ARQ (6.3.4) Mesh (6.3.6.6) STC (8.3.8) mobile <u>12.3</u>	TDD FDD
<u>Fixed</u> WirelessMAN-OFDMA	licensed bands below 11 GHz	8.4	AAS (6.3.7.6) ARQ (6.3.4) HARQ (6.3.17) STC (8.4.8) mobile <u>12.4</u>	TDD FDD
WirelessMAN-OFDMTM Rel. 1	licensed bands below 11 GHz	8.3	AAS (6.3.7.6) ARQ (6.3.4) Mesh (6.3.6.6) STC (8.3.8)	TDD FDD

			mobile <u>12.5</u>	
WirelessMAN-OFDMA <u>TDD</u> <u>Rel. 1</u>	licensed bands below 11 GHz	8.4	AAS (6.3.7.6) ARQ (6.3.4) Mesh (6.3.6.6) STC (8.4.8) mobile <u>12.6</u>	TDD FDD
WirelessMAN-OFDMA <u>TDD</u> <u>Rel. 1</u>	licensed bands below 11 GHz	8.4	AAS (6.3.7.6) ARQ (6.3.4) Mesh (6.3.6.6) STC (8.4.8) mobile <u>12.7</u>	TDD FDD
WirelessMAN-OFDMA <u>FDD</u> <u>Rel. 1</u>	licensed bands	8.4	AAS (6.3.7.6) ARQ (6.3.4) Mesh (6.3.6.6) STC (8.4.8) mobile <u>12.8</u>	TDD FDD

Suggested Changes to P802.16Rev2/D2, Clause 12

In P802.16Rev2/D2, page 1195, line 1, update the beginning of Clause 12 by the following material, where the new text is marked by blue and underlined, and the deleted text is marked by red with strikethrough.

12. System profiles

This clause defines system profiles that list sets of features to be used in typical implementation cases. Each profile is assigned an identifier for use in such documents as PICS proforma statements. Features specified in the standard as optional may be listed in a profile as “required” or “conditionally required.” Profiles do not change “mandatory” status if specified in the standard itself. Any feature that is specified in the standard as optional and does not appear in a certain profile is optional for the profile; thus, absence of this feature in specific implementation does not affect conformance to the profile. Optional features shall be implemented as specified in the standard.

12.1 WirelessMAN-SC ~~(10–66 GHz) system profiles~~Rel. 1

[content left unchanged]

12.2 Reserved

~~12.3 WirelessMAN-OFDM and WirelessHUMAN(-OFDM) System Profiles~~Fixed WirelessMAN-OFDM

[content left unchanged]

~~12.4 WirelessMAN-OFDMA and WirelessHUMAN(-OFDMA) System Profiles~~Fixed WirelessMAN-OFDMA

[content left unchanged]

Add subclauses 12.5 - 12.8:

~~12.5 WirelessMAN-OFDM Rel. 1~~

~~[to be determined]~~

12.6 WirelessMAN-OFDMA TDD Rel. 1

This profile is specified in WiMAX Forum Mobile System Profile, Release 1.0 (Revision 1.4.0) [Ref X].

~~12.7 WirelessMAN-OFDMA TDD Rel. 1r1~~

~~[to be determined, with content current per P802.16/Rev2]~~

~~12.8 WirelessMAN-OFDMA FDD Rel. 1r1~~

~~[to be determined, with content current per P802.16/Rev2]~~

Add to Clause 2 (References)

[X] *WiMAX Forum Mobile System Profile, Release 1.0 Approved Specification* (Revision 1.4: 2007-05-02)

<http://www.wimaxforum.org/technology/documents/wimax_forum_mobile_system_profile_v1_40.pdf>.