Project	IEEE 802.16 Broadband Wireless Access Working Group < http://ieee802.org/16 >	
Title	Fix for Location Update primitive	
Date Submitted	2006-03-01	
Source(s)	ZTE corporation	xu.ling@zte.com.cn
	Xu Ling	

	Contribution on comments to P802.16g-D1	
Re:	Contribution on comments to 1 002.10g D1	
Abstract	In this contribution, we propose to amendment the protocol through add the new message about Location Update	
Purpose	Adoption	
Notice	This document has been prepared to assist IEEE 802.16. It is offered as a basis for discussion and is not binding on the contributing individual(s) or organization(s). The material in this document is subject to change in form and content after further study. The contributor(s) reserve(s) the right to add, amend or withdraw material contained herein.	
Release	The contributor grants a free, irrevocable license to the IEEE to incorporate text contained in this contribution, and any modifications thereof, in the creation of an IEEE Standards publication; to copyright in the IEEE's name any IEEE Standards publication even though it may include portions of this contribution; and at the IEEE's sole discretion to permit others to reproduce in whole or in part the resulting IEEE Standards publication. The contributor also acknowledges and accepts that this contribution may be made public by IEEE 802.16.	

Patent Policy and Procedures The contributor is familiar with the IEEE 802.16 Patent Policy and Procedures (Version 1.0) < http://ieee802.org/16/ipr/patents/policy.html>, including the statement "IEEE standards may include the known use of patent(s), including patent applications, if there is technical justification in the opinion of the standards-developing committee and provided the IEEE receives assurance from the patent holder that it will license applicants under reasonable terms and conditions for the purpose of implementing the standard."

Early disclosure to the Working Group of patent information that might be relevant to the standard is essential to reduce the possibility for delays in the development process and increase the likelihood that the draft publication will be approved for publication. Please notify the Chair <mailto:r.b.marks@ieee.org> as early as possible, in written or electronic form, of any patents (granted or under application) that may cover technology that is under consideration by or has been approved by IEEE 802.16. The Chair will disclose this notification via the IEEE 802.16 web site http://ieee802.org/16/ipr/patents/notices.

Amendment for Location Update message

1. Introduction

In the current baseline document, there has a location update procedure. After the location update has finished, there need a message from 802.16 entity to notify NCMS that the Location update has been complete.

Another proposal is to add Authenticator ID in C-PG-RSP which is used by BS to implement authenticate procedure.

2. Proposed Text Changes

14.2.9.3.1 Location Update Procedure

. . . .

All the above Location Updates are realized by Ranging request/response (RNG-REQ/RSP) message between an MS and a BS, and Location Update request and Location Update response C-PG-REQ, C-PG-RSP,C-PG-NOTFY service primitives are defined between a BS and an NCMS to perform Location Update.

Figure 498 shows service primitives for Location Update between a BS and an NCMS.




Figure 498—Location Update Primitives




Figure 498— Location Update Primitives

[Modify Location Update flow diagram between NCMS and BS as the following]

14.2.9.3.2.2 C-PG-RSP

14.2.9.3.2.2.1 Function

This primitive is issued by the NCMS to respond to Location Update request from the 802.16 entity.

14.2.9.3.2.2.2 Semantics of the service primitive

The parameters of the primitives are as follows:

```
C-PG-RSP
         Operation type: SetAction,
         Action_type: Location Update,
         Object ID: BS,
         Attribute List:
                  MS MAC Address
                  Location Update Result
                  Paging Information
                  Paging Controller ID
                  MAC Hash Skip Threshold
                  Power Down Response
                  Authenticator ID
 MS MAC Address
          48-bit MAC address which will identify MS
 Location Update Result
          Response to Location Update Request:
                  0b00=Failure. The MS shall perform Network Re-entry from Idle Mode;
                  0b01=Success of assign Paging Controll and Paging Information.
                  0b10, 0b11: Reserved
 Authenticator ID
```

The identifier of the Authenticator which can be used by BS to get the security context and implement authentication procedure.

[Add a new section as follow:]

14.2.9.3.2 Service Primitives for Location Update

14.2.9.3.2.3 C-PG-NOTFY

This primitive is used by BS to notify a location update procedure has been completed. The Event Type included in this primitive defines the type of location update procedure to be performed. The possible Operation Types for this primitive are listed in Table below:

Event Type	Description
Location_Update_CMPLT	Notify the NCMS the location update procedure is completed

14.2.9.3.2.3.1 Function

This primitive is issued by the BS to NCMS.

14.2.9.3.2.3.2 Semantics of the service primitive

The parameters of the primitives are as follows:

C-PG-NOTFY

```
Message_id,
        Event_Type(Location_Update_CMPLT)
        Object_ID: NCMS,
         Attribute_List:
                  MS MAC Address
                  BS ID
                  Location Update Result
                  Security Information Update
          )
MS MAC Address
         48-bit MAC address which will identify MS
BS ID
         Identifier of serving BS
Location Update Result
         Notify the result of authentication interaction between BS and NCMS:
                  0x00=Failure of Idle Mode Location Update. The MS shall perform
 Network Re-entry from Idle Mode
                  0x01=Success of Idle Mode Location Update
                  others: Reserved
```

Security Information Update

The information updated during authentication procedure. If the Location Update Result is success, this information should be included.

14.2.9.3.2.2.3 When generated

This primitive is generated at a BS after the BS and Authenticator in NCMS finished authentication interaction and it is in order to notify NCMS that the location update procedure has been completed.

14.2.9.3.2.2.4 Effect of receipt

The NCMS receives this message and get the information that the location update has been completed.