Project	IEEE 802.16 Broadband Wireless Access Working Group < http://ieee802.org/16 >
Title	Proposed text for Accounting Management
Date Submitted	2007-01-11
Source(s)	Joey Chou [mailto:joey.chou@intel.com] Intel Corporation
Re:	
Abstract	This contribution proposes Text for Accounting Management.
Purpose	Adoption
Notice	This document has been prepared to assist IEEE 802.16. It is offered as a basis for discussion and is not binding on the contributing individual(s) or organization(s). The material in this document is subject to change in form and content after further study. The contributor(s) reserve(s) the right to add, amend or withdraw material contained herein.
Release	The contributor grants a free, irrevocable license to the IEEE to incorporate material contained in this contribution, and any modifications thereof, in the creation of an IEEE Standards publication; to copyright in the IEEE's name any IEEE Standards publication even though it may include portions of this contribution; and at the IEEE's sole discretion to permit others to reproduce in whole or in part the resulting IEEE Standards publication. The contributor also acknowledges and accepts that this contribution may be made public by IEEE 802.16.
Patent Policy and Procedures	The contributor is familiar with the IEEE 802.16 Patent Policy and Procedures (Version 1.0) http://ieee802.org/16/ipr/patents/policy.html , including the statement "IEEE standards may include the known use of patent(s), including patent applications, if there is technical justification in the opinion of the standards-developing committee and provided the IEEE receives assurance from the patent holder that it will license applicants under reasonable terms and conditions for the purpose of implementing the standard."
	Early disclosure to the Working Group of patent information that might be relevant to the standard is essential to reduce the possibility for delays in the development process and increase the likelihood that the draft publication will be approved for publication. Please notify the Chair mailto:r.b.marks@ieee.org as early as possible, in written or electronic form, of any patents (granted or under application) that may cover technology that is under consideration by or has been approved by IEEE 802.16. The Chair will disclose this notification via the IEEE 802.16 web site http://ieee802.org/16/ipr/patents/notices >.

1	Table of Content
2	1. Introduction.
3	2. Accounting Management.

1

6

7

11

12

1. Introduction

This contribution proposes the Text for Accounting Management.

2. Accounting Management

5 [Replace subclause 14.2.1.2. with the following:]

14.2.1.2 Service primitives for accounting management

8 14.2.1.2.1 M-ACM-REQ

9 Function:

This primitive can be issued by the NCMS to retrieve the accounting records from BS.

Semantics of the service primitive:

The parameters of the primitives are as follows:

```
13
                            Operation type: Action,
14
                            Action type: null,
15
16
                            Destination: BS,
17
                            Attribute List:
                                     MS MAC Address
18
                                     Service Flow Identifier
19
                                     Accounting Record Number
20
21
                   MS MAC Address
22
23
                            48-bit MAC address which will identify MS
24
                   Service Flow identifier
25
                            32-bit service flow identifier which will identify service flows of an MS
                   Accounting Record Number
26
27
                            Identifies accounting record within one session
```

When generated:

29 This primitive can be generated at the NCMS to request accounting accord from a BS.

Effect of receipt:

When this primitive is received from NCMS, the BS shall gather accounting information and return

the information using the M-ACM-RSP primitive.

33

28

30

34

14.2.1.2.2 M-ACM-RSP

2 Function:

1

4

5

This primitive is issued by a BS to respond to M-ACM-REQ.

Semantics of the service primitive:

The parameters of the primitives are as follows:

```
6
                  M-ACM-RSP
 7
                            Operation type: Action,
 8
                            Action type: null,
 9
                            Destination: NCMS.
10
                            Attribute List:
11
12
                                     MS MAC Address
                                     Service Flow Identifier
13
                                     Accounting Record Number
14
                                     Accounting Octets
15
                                     Accounting Packets
16
                                     Service Flow Information
17
18
                  MS MAC Address
19
20
                            48-bit MAC address which will identify MS
                  Service Flow identifier
21
                            32-bit service flow identifier which will identify service flows of an MS
22
                  Accounting Record Number
23
                            Identifies accounting record within one session
24
25
                  Accounting Octets
                            The number of octets captured on this service flow.
26
                  Accounting Packets
27
                            The number of packets captured on this service flow.
28
                  Service Flow Information
29
30
                             Required QoS information of a service flow include traffic characteristics and
31
                             a scheduling type such as service class name, QoS parameter set type,
32
                             maximum sustained traffic rate, maximum traffic burst, minimum reserved
33
                             traffic rate, minimum tolerable traffic rate, service flow scheduling type,
34
                             tolerate jitter and maximum latency.
```

When generated:

This primitive shall be generated by the BS in response to an M-ACM-REQ primitive.

Effect of receipt:

- 38 The NCMS receives the primitive, it contains the requested information and it is assumed that the
- NCMS will use this information for accounting purposes.

14.2.1.2.3 M-ACM-IND

41 Function:

35

37

40

44

This primitive is issued by a BS to indicate to the NCMS the accounting event or to report the accounting record autonolously.

4

Semantics of the service primitive:

The parameters of the primitives are as follows:

```
M-ACM-IND
 1
 2
 3
                           Operation type: Action,
 4
                           Action type: null,
 5
                           Destination: NCMS,
 6
                           Attribute List:
 7
                                    MS MAC Address
 8
                                    Service Flow Identifier
 9
                                    Accounting Record Event
10
                                    Accounting Record Number
                                     Accounting Octets
11
                                     Accounting Packets
12
                                     Service Flow Information
13
14
15
                  MS MAC Address
16
                           48-bit MAC address which will identify MS
17
                  Service Flow identifier
18
                           32-bit service flow identifier which will identify service flows of an MS
19
                  Accounting Record Event
                           Start, stop, interim update.
20
21
                  Accounting Record Number
22
                           Identifies accounting record within one session
                  Accounting Octets
23
                           The number of octets captured on this service flow.
24
25
                  Accounting Packets
                           The number of packets captured on this service flow
26
27
                  Service Flow Information
28
                            Required QoS information of a service flow include traffic characteristics and
29
                            a scheduling type such as service class name, QoS parameter set type,
30
                            maximum sustained traffic rate, maximum traffic burst, minimum reserved
31
                            traffic rate, minimum tolerable traffic rate, service flow scheduling type,
32
                            tolerate jitter, and maximum latency.
        When generated:
33
        This primitive is generated at a BS when an accounting session is created, deleted, or changed.
34
35
        Effect of receipt:
36
        NCMS will update the accounting record accordingly.
        14.2.1.2.4 M-ACM-ACK
37
        Function:
38
39
        This primitive is issued by the NCMS to respond to M-ACM-IND.
40
        Semantics of the service primitive:
        The parameters of the primitives are as follows:
41
                  M-ACM-ACK
42
43
                           Operation type: Action,
44
                           Action type: null,
45
                           Destination: BS,
46
47
                           Attribute List:
48
                                     MS MAC Address
                                     Service Flow Identifier
49
```

14

Result Code

5

1	Accounting Record Number
2)
3	MS MAC Address
4 5	48-bit MAC address which will identify MS Service Flow identifier
6	32-bit service flow identifier which will identify service flows of an MS
7	Result Code
8	The result of A-ACM-Indication
9	Accounting Record Number
10	Identifies accounting record within one session
11	When generated:
12	It is assumed that the NCMS will generate this primitive in response to an M-ACM-IND.
13	Effect of receipt:
14	When the BS receives the primitive, it is a simple acknowledgement.
15	
16	
17	
1 /	
18	
10	
19	
20	
21	
21	
22	