
Project	IEEE 802.16 Broadband Wireless Access Working Group < http://ieee802.org/16 >	
Title	Attributes of PowerCtrl Object for 802.16 Mobility MIB	
Date Submitted	2006-03-01	
Source(s)	Yanbiao Chen	xu.ling@zte.com.cn
	Ling Xu	
	ZTE corporation	
	Daning Guo	gongdaning@catr.com.cn
	CATR	
Re:	Contribution to IEEE 802.16i	
Abstract	In this contribution, we propose to give attributes of PowerCtrl object for 802.16 mobility MIB	
Purpose	Adoption	
Notice	This document has been prepared to assist IEEE 802.16. It is offered as a basis for discussion and is not binding on the contributing individual(s) or organization(s). The material in this document is subject to change in form and content after further study. The contributor(s) reserve(s) the right to add, amend or withdraw material contained herein.	
Release	The contributor grants a free, irrevocable license to the IEEE to incorporate text contained in this contribution, and any modifications thereof, in the creation of an IEEE Standards publication; to copyright in the IEEE's name any IEEE Standards publication even though it may include portions of this contribution; and at the IEEE's sole discretion to permit others to reproduce in whole or in part the resulting IEEE Standards publication. The contributor also acknowledges and accepts that this contribution may be made public by IEEE 802.16.	

Patent
Policy and
Procedures

The contributor is familiar with the IEEE 802.16 Patent Policy and Procedures (Version 1.0) <<http://ieee802.org/16/ipr/patents/policy.html>>, including the statement “IEEE standards may include the known use of patent(s), including patent applications, if there is technical justification in the opinion of the standards-developing committee and provided the IEEE receives assurance from the patent holder that it will license applicants under reasonable terms and conditions for the purpose of implementing the standard.”

Early disclosure to the Working Group of patent information that might be relevant to the standard is essential to reduce the possibility for delays in the development process and increase the likelihood that the draft publication will be approved for publication. Please notify the Chair <<mailto:r.b.marks@ieee.org>> as early as possible, in written or electronic form, of any patents (granted or under application) that may cover technology that is under consideration by or has been approved by IEEE 802.16. The Chair will disclose this notification via the IEEE 802.16 web site <<http://ieee802.org/16/ipr/patents/notices>>.

Attributes of PowerCtrl Object for 802.16 Mobility MIB

Yanbiao Chen, Ling Xu, Daning Guo

1. Introduction

The 802.16i baseline has depicted BS related IOCs, but for most of those IOCs, the attributes have not been defined. This contribution proposes to describe the attributes of the PowerCtrl IOC.

2. Proposed Text Changes

Add the following description into 16i 15.1.2.3:

15.1.2.3.x IOC PowerCtrl

15.1.2.3.x.1 Definition

This Information Object Class represents the power control entity of 802.16 BS. For more information about the BS, see 8.4.10.3 of 802.16-2004 and 802.16e.

PowerCtrl is an object which inherits from the Top.

15.1.2.3.x.2 Attributes

Table 1 PowerCtrl Attributes

Attribute name	Defined in	Visibility	Support Qualifier	Read Qualifier	Write Qualifier
PowerCtrlId	--	+	M	M	--
objectClass	Top	+ _{inherited}	M _{inherited}	M _{inherited}	-- _{inherited}
objectInstance	Top	+ _{inherited}	M _{inherited}	M _{inherited}	-- _{inherited}
userLabel	--	+	M	M	M
MS_UP_PWR_ADJ_STEP	--	+	M	M	M
MS_DOWN_PWR_ADJ_STEP	--	+	M	M	M
MIN_PWR_ADJ_LEVEL	--	+	M	M	M
MAX_PWR_ADJ_LEVEL	--	+	M	M	M
TX_PWR_REP_T	--	+	M	M	M
TX_PWR_REP_INTV	--	+	M	M	M
ALPHA_OF_P_AVG	--	+	M	M	M
TX_PWR_REP_T_CQI	--	+	M	M	M
TX_PWR_REP_INTV_CQI	--	+	M	M	M
ALPHA_OF_P_AVG_CQI	--	+	M	M	M

[Append the following description into 16i 15.1.2.6.1 Table11:]

Attribute Name	Definition	Legal Values
MS_UP_PWR_ADJ_STEP	MS-specific up power offset adjustment step	--
MS_DOWN_PWR_ADJ_STEP	MS-specific down power offset adjustment step	--

MIN_PWR_ADJ_LEVEL	Minimum level of power offset adjustment	--
MAX_PWR_ADJ_LEVEL	Maximum level of power offset adjustment	--
TX_PWR_REP_T	Tx Power Report Threshold	--
TX_PWR_REP_INTERVAL	Tx Power Report Interval	--
ALPHA_OF_P_AVG	Alpha of p_avg	--
TX_PWR_REP_T_CQI	Tx Power Report Threshold, CQICH is allocated to the SS	--
TX_PWR_REP_INTERVAL_CQI	Tx Power Report Interval, CQICH is allocated to the SS	--
ALPHA_OF_P_AVG_CQI	Alpha of p_avg, CQICH is allocated to the SS	--