Report on the ETSI BRAN "FWA Below 11GHz" Group Meeting in Helsinki (8/25/00)

IEEE 802.16 Presentation Submission Template (Rev. 8)

Document Number:

IEEE 802.16.3p-00/26

Date Submitted:

2000-10-09

Source:

Dr. Demos Kostas Voice 214 520 8411 Adapti ve Broadband Corp. Fax: 214 520 9802

3314 Dartmouth E-mail: dkostas@adapti vebroadband.com

Dall as TX, 75205 USA

Venue:

10 September 2000: IEEE 802.16.3 meeting Denver Co.

Base Document:

NA

Purpose:

This presentation will report on the ETSI BRAN 'FWA Below 11GHz" Group Meeting in Helsinki (8/25/00) to further the coordination between IEEE 802.16 and ETSI

Notice:

This document has been prepared to assist IEEE 802. 16. It is offered as a basis for discussion and is not binding on the contributing individual(s) or organization(s). The material in this document is subject to change in form and content after further study. The contributor(s) reserve(s) the right to add, amend or with draw material contained herein.

Release:

The contributor grants a free, irrev cable license to the IEEE to incorporate text contained in this contribution, and anymodifications thereof, in the creation of an IEEE Standards publication; to copyright in the IEEEÕ rame any IEEE Standards publication even though it may include portions of this contribution; and at the IEEEÕ sole discretion to permit others to reproduce in whole or in part the resulting IEEE Standards publication. The contributor also acknowledges and accepts that this contribution may be made public by IEEE 802.1 6.

IEEE 80 2.16 Patent Policy:

The contributor is familiar with the IEEE 802.1 6Patent Policy and Procedures (Version 1.0) < http://eee802.org/16/ipr/patents/policy.html>, including the statement DEEE standards may include the known use of patent(s), including patent applications, if there is technical justification in the opinion of the standards-developing committee and provided the IEEE receives assurance from the patent holder that it will license applicants under reasonable terms and conditions for the purpose of implementing the standard.

Early disclosure to the Working Group of patent information that might be relevant to the standard is essential to reduce the possibility for delays in the development process and increase the likelihood that the draft publication will be approved for publication. Please notify the Chair mailtor.bmarks@ieee.org as early as possible, in written or electronic form, of any patents (granted or under application) that may cover technology that is under consideration by or has been approved by IEEE 802.16. The Chair will disclose this notification via the IEEE 802.16 web site http://ieee80.2.org/16/ipr/patents/notices.

Report on the ETSI BRAN "FWA Below 11GHz" Group's Meeting in Helsinki (8/25/00)

September 10, 2000

Dr. Demos Kostas Adaptive Broadband Corp

Scope of the ETSI BRAN "FWA Below 11GHz" Group:

Identify the functional requirements for interoperable FWA systems below 11 GHz; Investigate the major differences/similarities between the <11GHz FWA systems and existing and currently being developed ETSI BRAN standards.

Deliverables: An ETSI BRAN Technical Report by 1Q2001

Table of Contents

Foreword

Introduction

- 1. Scope
- 2. References
- 3. Definitions and abbreviations
- 3.1 Definitions
- 3.2 Abbreviations
- 4. Overview
- 4.1 Target markets
- 4.2 Applications and Services
- 4.3 Features
- 4.4 System Model
- 4.5 Deployment Scenarios
- 4.6 Regulatory constraints in targeted spectrum

Table of Contents(Continued)

- 5 Services
- 5.1 Internet Protocol Service
- 5.2 Bridged LAN Services
- 5.3 Voice services
- 5.4 Other Services
- 6 External interfaces, and network management
- 6.1 Network management
- 6.2 Service Level Agreements
- 6.3 Activation and deactivation of Subscriber Unit or Base Station
- 6.4 External interfaces
- 6.5 Accounting and Auditing
- 7 Transport requirements
- 7.1 Service independence
- 7.2 Service Support
- 7.2.1 Quality of Service
- 7.2.2 Service Classes
- 7.2.3 Service QoS Mappings

Table of Contents (Continued)

- 7.3 Channel Conditions
- 7.4 Flexible Asymmetry
- 7.5 Throughput requirements
- 7.6 Radio Link Availability
- 7.7 Error Performance
- 7.8 Scalability
- 7.9 Delay
- 7.10 Topology
- 7.11 Radio specific security requirements
- 7.11.1 Authentication
- 7.11.2 Authorisation
- **7.11.3 Privacy**
- 8 Operational requirements
- 8.1 User density and market penetration
- 8.1.1 Residential market
- 8.1.2 SOHO and Small Enterprise market

| 8.2 | User reference traffic models |
|-------|---|
| 8.2.1 | Residential users |
| 8.2.2 | Business users |
| 8.3 | Installation issues |
| 8.4 | Capacity |
| 8.5 | Radio range and coverage |
| 8.6 | Maintaining QoS |
| 8.7 | Environmental conditions |
| 8.8 | Electro-Magnetic Compatibility (EMC) |
| 8.9 | Standardisation requirements |

Spectrum and regulatory issues

Targeted Spectrum

Duplex model

Channelization

Table of Contents (Continued)

9

9.1

9.2

9.3

Table of Contents (Continued)

- 10 Large Scale deployment
- 11 Architecture
- 11.1 Reference model
- 11.2 Protocols and Interoperability
- 12 Comparison with HIPERACCESS and HIPERLAN/2
- 12.1 HIPERACCESS
- 12.2 HIPERLAN/2