

Project	IEEE 802.16 Broadband Wireless Access Working Group < http://ieee802.org/16 >	
Title	Resolving TFTP Configuration File Issues	
Date Submitted	2004-01-13	
Source(s)	Russ Reynolds, Don Leimer Proxim Corp. 935 Stewart Dr. Sunnyvale, CA	Voice: (408) 733-2700 Fax: (408) 273-6041 rreynolds@proxim.com
	Amended during proceeding by Bob Nelson	
Re:	Letter Ballot IEEE P802.16-REVd_D1-2003.	
Abstract	This document contains suggestions for improvement of the TFTP configuration file upgrade process	
Purpose	The document is submitted for discussion by 802.16d Working Group	
Notice	This document has been prepared to assist IEEE 802.16. It is offered as a basis for discussion and is not binding on the contributing individual(s) or organization(s). The material in this document is subject to change in form and content after further study. The contributor(s) reserve(s) the right to add, amend or withdraw material contained herein.	
Release	The contributor grants a free, irrevocable license to the IEEE to incorporate material contained in this contribution, and any modifications thereof, in the creation of an IEEE Standards publication; to copyright in the IEEE's name any IEEE Standards publication even though it may include portions of this contribution; and at the IEEE's sole discretion to permit others to reproduce in whole or in part the resulting IEEE Standards publication. The contributor also acknowledges and accepts that this contribution may be made public by IEEE 802.16.	
Patent Policy and Procedures	The contributor is familiar with the IEEE 802.16 Patent Policy and Procedures < http://ieee802.org/16/ipr/patents/policy.html >, including the statement "IEEE standards may include the known use of patent(s), including patent applications, provided the IEEE receives assurance from the patent holder or applicant with respect to patents essential for compliance with both mandatory and optional portions of the standard." Early disclosure to the Working Group of patent information that might be relevant to the standard is essential to reduce the possibility for delays in the development process and increase the likelihood that the draft publication will be approved for publication. Please notify the Chair < mailto:chair@wirelessman.org > as early as possible, in written or electronic form, if patented technology (or technology under patent application) might be incorporated into a draft standard being developed within the IEEE 802.16 Working Group. The Chair will disclose this notification via the IEEE 802.16 web site < http://ieee802.org/16/ipr/patents/notices >.	

Resolving TFTP Configuration File Issues

*Russ Reynolds and Don Leimer
Proxim Corp.*

Comment #606

Change Detail

Original Text (Section 9.2):

The following configuration settings may be included in the configuration file and if present shall be supported by all SSs:

- a) Software Upgrade Filename Configuration Setting (see 11.3.1)
- b) Software Server IP Address (see 11.3.2)
- c) Authorization Node IP Address (11.3.3, Mesh only)
- d) Registration Node IP Address (11.3.4, Mesh only)
- e) Provisioning Node IP Address (11.3.5, Mesh only)
- f) Vendor-specific configuration settings

Modification:

The following configuration settings may be included in the configuration file and if present shall be supported by all managed SSs:

- a) Software Upgrade Descriptors (see 11.3.1)
- b) Software Server IP Address (see 11.3.2)
- c) Authorization Node IP Address (11.3.3, Mesh only)
- d) Registration Node IP Address (11.3.4, Mesh only)
- e) Provisioning Node IP Address (11.3.5, Mesh only)
- f) Vendor-specific configuration settings

Original Text (Section 11.3.1):

11.3.1 Software upgrade filename

The filename of the software upgrade file for the managed SS. The filename is a fully qualified directory-path name which is in a format appropriate to the server. There is no requirement that the character string be null-terminated; the length field always identifies the end of the string. The file is expected to reside on a TFTP server identified in a configuration setting option defined in 11.3.2.

Modification:

11.3.1 Software Upgrade Descriptors

This field defines the parameters associated with software upgrades. It is composed of one or more upgrade descriptors. An upgrade descriptor is defined by the set of all encapsulated tags defined below, occurring in order in the TFTP file. A new upgrade descriptor begins with the occurrence of the Vendor ID TLV.

When a managed SS decodes a descriptor with a matching Vendor ID, Hardware ID, and Software Version different than the one currently running, it may initiate a TFTP transfer to upgrade its software.

Type	Length	Value
9	N	compound

11.3.1.1 Vendor ID

This value identifies the managed SS vendor to which the software upgrade is to be applied. Its format is described in 11.4.5.

Type	Length	Value
9.1	3	Described in 11.4.5

11.3.1.2 Hardware ID

This value identifies the hardware version to which the software upgrade is to be applied. This value is administered by the vendor identified in the Vendor ID field.

Type	Length	Value
9.2	N	Hardware ID (string)

11.3.1.3 Software Version

This value identifies the software version of the software upgrade file. The value is administered by the vendor identified in the Vendor ID field. It should be defined by the vendor to be unique with respect to a given Hardware ID.

Type	Length	Value
------	--------	-------

9.3	N	Software Version (string)
-----	---	---------------------------

11.3.1.4 Upgrade Filename

The filename of the software upgrade file for the managed SS. The filename is a fully qualified directory-path name which is in a format appropriate to the server. There is no requirement that the character string be null-terminated; the length field always identifies the end of the string. The file is expected to reside on a TFTP server identified in a configuration setting option defined in 11.3.2.

Type	Length	Value
9.4	N	Filename (string)