

Project	IEEE 802.16 Broadband Wireless Access Working Group < http://ieee802.org/16 >	
Title	Group TEK management for Multicast and Broadcast Service in IEEE 802.16e	
Date Submitted	2004-12-30	
Source(s)	[Rui Li] [Feng Tian] [Dongxin Lu] [zte] [ZTE Plaza , Keji Road South , Hi-tech Industrial Park , Nanshan District , Shenzhen , P.R.China , 518057]	Voice: [86-0755-26772016] Fax: [86-0755-26772004] [mailto:li.rui2@zte.com.cn]
Re:	802.16e/D5	
Abstract	This document contains new Group TEK management for Multicast and Broadcast Service	
Purpose	Adopt	
Notice	This document has been prepared to assist IEEE 802.16. It is offered as a basis for discussion and is not binding on the contributing individual(s) or organization(s). The material in this document is subject to change in form and content after further study. The contributor(s) reserve(s) the right to add, amend or withdraw material contained herein.	
Release	The contributor grants a free, irrevocable license to the IEEE to incorporate material contained in this contribution, and any modifications thereof, in the creation of an IEEE Standards publication; to copyright in the IEEE's name any IEEE Standards publication even though it may include portions of this contribution; and at the IEEE's sole discretion to permit others to reproduce in whole or in part the resulting IEEE Standards publication. The contributor also acknowledges and accepts that this contribution may be made public by IEEE 802.16.	
Patent Policy and Procedures	The contributor is familiar with the IEEE 802.16 Patent Policy and Procedures < http://ieee802.org/16/ipr/patents/policy.html >, including the statement "IEEE standards may include the known use of patent(s), including patent applications, provided the IEEE receives assurance from the patent holder or applicant with respect to patents essential for compliance with both mandatory and optional portions of the standard." Early disclosure to the Working Group of patent information that might be relevant to the standard is essential to reduce the possibility for delays in the development process and increase the likelihood that the draft publication will be approved for publication. Please notify the Chair < mailto:chair@wirelessman.org > as early as possible, in written or electronic form, if patented technology (or technology under patent application) might be incorporated into a draft standard being developed within the IEEE 802.16 Working Group. The Chair will disclose this notification via the IEEE 802.16 web site < http://ieee802.org/16/ipr/patents/notices >.	

Group TEK management for Multicast and Broadcast Service in IEEE 802.16e

Rui Li
Feng tian
Dongxin lu

1. Problem Statements

To provide seamless multicast and broadcast service over multiple BS, a multi-BS-MBS connection shall use the same CID, and transport the same data in a synchronized manner across the group of BS located in MBS Zone in Draft 802.16e/D5a. All transmitted data in multi-BS-MBS connection should be encrypted with the key that is derived from MGTEK and MAK. So the MGTEK should be synchronously managed across the group of BS in MBS Zone in order to provide the same encrypted data of MBS to all MSSs registered to the specific multi-BS-MBS connection. But there is not description how the MGTEK is managed synchronously in current specification.

2. Proposal

A new MGTEK management is proposed to realize that all BSs in MBS Zone synchronously manage MGTEK. The thought is that a centralized controller in MBS Zone is set to manage MGTEK. The centralized controller is used to manage MGTEK, such as the establishment of MGTEK, the distribution of MGTEK, the update of MGTEK and synchronization of MGTEK between all BSs. The figure-1 illustrates the model of MBS in MBS Zone.




Figure 1 the model of MBS in MBS Zone

[add the following as show]

3. Proposed Text adds

7.8.1.2.2 MGTEK establishment

To support seamless multicast and broadcast service over multiple BS, the MGTEK management across a group of BS in MBS Zone should be synchronized. In this case, each BS should manage the same MGTEK, using the same management mechanism (establishment, distribution and update) at the same time. To realize the purpose of MGTEK synchronous management, a centralized controller is set to manage MGTEK, such as the establishment of MGTEK, the distribution of MGTEK, the update of MGTEK and synchronization of MGTEK among all BSs in MBS Zone. There are many methods to set the centralized controller. The centralized controller may be one BS in MBS Zone. It also may be the MBS distribution server. But there is only one centralized controller to manage GTEK between multiple BS in MBS Zone. The manner in which serving BS acquires MGTEK material information from the centralized controller is outside the scope of 802.16e specification.