

Project	IEEE 802.16 Broadband Wireless Access Working Group < http://ieee802.org/16 >	
Title	Comments on Differential codebook-based feedback mode (16.3.7.2.5.5.2)	
Date Submitted	2010-07-09	
Source(s)	Yih-Guang Jan, Yang-Han Lee, Hsien-Wei Tseng, Ming-Hsueh Chuang, Jheng-Yao Lin Tamkang University (TKU)	yihjan@yahoo.com
	Youn-Tai Lee, Chun-Yen Hsu Institute for Information Industry (III)	lyt@nmi.iii.org.tw
	Shiann-Tsong Sheu National Central University (NCU)	stsheu@ce.ncu.edu.tw
	Whai-En Chen National Ilan University (NIU)	wechen@niu.edu.tw
Re:	Proposed text changes to P802.16m/D6	
Abstract	Comments on Differential codebook-based feedback mode (16.3.7.2.5.5.2) for IEEE P802.16m/D6	
Purpose	To be discussed and adopted by TGM for IEEE P802.16m/D6.	
Notice	<i>This document does not represent the agreed views of the IEEE 802.16 Working Group or any of its subgroups. It represents only the views of the participants listed in the "Source(s)" field above. It is offered as a basis for discussion. It is not binding on the contributor(s), who reserve(s) the right to add, amend or withdraw material contained herein.</i>	
Release	The contributor grants a free, irrevocable license to the IEEE to incorporate material contained in this contribution, and any modifications thereof, in the creation of an IEEE Standards publication; to copyright in the IEEE's name any IEEE Standards publication even though it may include portions of this contribution; and at the IEEE's sole discretion to permit others to reproduce in whole or in part the resulting IEEE Standards publication. The contributor also acknowledges and accepts that this contribution may be made public by IEEE 802.16.	
Patent Policy	The contributor is familiar with the IEEE-SA Patent Policy and Procedures: < http://standards.ieee.org/guides/bylaws/sect6-7.html#6 > and < http://standards.ieee.org/guides/opman/sect6.html#6.3 >. Further information is located at < http://standards.ieee.org/board/pat/pat-material.html > and < http://standards.ieee.org/board/pat >.	

Comments on Differential codebook-based feedback mode (16.3.7.2.5.5.2)

Yih-Guang Jan, Yang-Han Lee, Hsien-Wei Tseng, Ming-Hsueh Chuang, Jheng-Yao Lin

Tamkang University (TKU)

Youn-Tai Lee, Chun-Yen Hsu

Institute for Information Industry (III)

Shiann-Tsong Sheu

National Central University (NCU)

Whai-En Chen

National Ilan University (NIU)

1. Introduction

This contribution provides the corrected P802.16m/D6 text proposal.

2. Proposed IEEE P802.16m/D6 Text Modification

=====Start of Proposed Text=====

16.3.7.2.5.5.2 Differential codebook-based feedback mode

Page	Line	Original	Corrected
648	53	a is the $1 \times M_t$ vector	a is the $1 \times N_t$ vector

16.3.8.3.1 CRU/DRU allocation (Table 911)

Page	Line	Original	Corrected
676	28-29	Number of PRUs assigned to minibands in FP_i	Number of PRUs assigned to subbands in FP_i
676	30-31	Number of PRUs assigned to subbands in FP_i	Number of PRUs assigned to minibands in FP_i

16.3.9.2.2 HARQ feedback control channel

Page	Line	Original	Corrected
704	39	Where and i	Where i

16.3.9.2.4.3 Ranging Channel for FDM-based UL PUSC Zone Support Ranging Preamble Codes

Page	Line	Original	Corrected
715	21	where maximum possible D	where maximum possible number of dedicated RP codes

16.3.9.5 Uplink physical structure for multicarrier support

Page	Line	Original	Corrected
748	44	in 16.3.8.1 and	in 16.3.8.1

=====*End of Proposed Text*=====