

IEEE 802.1aq Shortest Path Bridging D4.0 Review

Don Fedyk Editor

First WG Recirculation

- Quite a bit of Change
- Tried to close outstanding issues.
- Clause 12 and 17 heavily reworked
 - Thanks, Nigel and Peter
- Clause 13
 - Thanks, Mick

D4.0 July Ballot Summary

Category	Total	Percentage
Yes	7	58.33%
No	5	41.67%
Abstain	18	60.00%
No. of Voters	44	100.00%
Voters responding	30	68.18%

As of July 18 2011 9:00 AM PDT

Comment Areas

- Some ~8 of the D3.6 329 carried over
- MIBs
 - SPB getting there
 - VID translation still needs some input
- IETF References
 - Layer 2 draft and NLPIDs
- Aux MCID not fully addressed everywhere
- IS-IS I1H everywhere
- Bridges Versus Non-TPMR Bridges
- Default Configuration
- Wrong Base Text
- Wrong / Missing References the allusive (13.17)
- Typos

Comments to be accepted without discussion:

1, 2, 3, 6, 9, 10, 12, 13, 14, 17, 18, 20, 22, 23, 26, 27, 29, 31, 33, 35, 37, 43, 44, 49, 52, 53, 54, 55, 56, 57, 58, 62, 64, 67, 68, 69, 71, 74, 75, 76, 77, 79, 80, 83, 85, 86, 88, 89, 92, 94, 95, 97, 130, 131, 135, 136, 137, 138, 139, 140, 141, 145, 146, 147, 148, 149, 150, 151, 152, 155, 156, 157, 158, 159, 162, 163, 164, 165, 168, 169, 170, 171, 172, 174, 176, 179, 180, 181, 182, 183, 186, 187, 189, 190, 192, 193, 194, 195, 196, 197, 198, 200, 201, 202, 203, 204, 206, 207, 208, 209, 210, 211, 212, 213, 214, 216, 217, 218, 219, 220, 221, 222, 224, 225, 226, 227, 228, 229, 232, 234, 236, 239, 240, 241, 242, 243, 244, 245, 248, 249, 250, 251, 252, 253, 254, 255, 257, 258, 260, 261, 262, 263, 264, 265, 266, 267, 268, 270, 271, 272, 273, 274, 275, 276, 278