

Project	<b>IEEE 802.16 Broadband Wireless Access Working Group</b> < <a href="http://ieee802.org/16">http://ieee802.org/16</a> >	
Title	<b>Improving the consistency of coexistence MAC management message names in 6.3.2.3</b>	
Date Submitted	<b>2009-04-20</b>	
Source(s)	<b>Harry Bims</b> Apple, Inc. 1 Infinite Loop, Cupertino, CA	E-mail: <a href="mailto:harrybims@me.com">harrybims@me.com</a>
Re:	The format for the coexistence MAC management message names needs to be uniform	
Abstract	This contribution conforms all of the coexistence MAC management message names to the same template, with a prefix of "CX-" and with dashes used internally to the name to separate text characters	
Purpose	To enforce a uniform naming convention for coexistence MAC management messages	
Notice	<i>This document does not represent the agreed views of the IEEE 802.16 Working Group or any of its subgroups. It represents only the views of the participants listed in the "Source(s)" field above. It is offered as a basis for discussion. It is not binding on the contributor(s), who reserve(s) the right to add, amend or withdraw material contained herein.</i>	
Release	The contributor grants a free, irrevocable license to the IEEE to incorporate material contained in this contribution, and any modifications thereof, in the creation of an IEEE Standards publication; to copyright in the IEEE's name any IEEE Standards publication even though it may include portions of this contribution; and at the IEEE's sole discretion to permit others to reproduce in whole or in part the resulting IEEE Standards publication. The contributor also acknowledges and accepts that this contribution may be made public by IEEE 802.16.	
Patent Policy	The contributor is familiar with the IEEE-SA Patent Policy and Procedures: < <a href="http://standards.ieee.org/guides/bylaws/sect6-7.html#6">http://standards.ieee.org/guides/bylaws/sect6-7.html#6</a> > and < <a href="http://standards.ieee.org/guides/opman/sect6.html#6.3">http://standards.ieee.org/guides/opman/sect6.html#6.3</a> >. Further information is located at < <a href="http://standards.ieee.org/board/pat/pat-material.html">http://standards.ieee.org/board/pat/pat-material.html</a> > and < <a href="http://standards.ieee.org/board/pat">http://standards.ieee.org/board/pat</a> >.	

## Improving the consistency of MAC management message names in 6.3.2.3

Harry Bims

Apple, Inc.

### Overview

This contribution corrects a problem in the draft amendment in Section 6.3.2.3 where some of the coexistence MAC management messages do not have the CX- prefix. For consistency, this contribution makes the necessary changes so that all of the coexistence management messages have the CX- prefix.

### Specific editorial changes

The following is a legend of text formats that is used in the remainder of this contribution.

**Blue text** represents specific editorial additions.

~~Red strikethrough~~ text is to be deleted.

Black text is text already in the draft.

***Bold italic*** text is editorial instructions to the editor.

### Text proposal for subclause 6.3.2.3

*Replace the following rows in Table-14. MAC Management messages as indicated:*

Type	Message Name	Message Description	Connection
70	<del>CX-CCID</del> <u>--IND</u>	Base Station Co-Channel Interference Detection Indication	Basic
71	<del>CX-CCID</del> <u>--RES</u>	Base Station Co-Channel Interference Detection Resolution	Basic
75	<del>CX-ACCESS-NBS-REQ</del>	Access neighbor BS request message	Basic
76	<del>CX-ACCESS-NBS-RSP</del>	Access neighbor BS response message	Basic
77	<del>CX-FWD-END-REQ</del>	Forward end request message	Basic
78	<del>CX-CSI-MNTR-CFG</del>	CSI monitoring request message	Broadcast
79	<del>CX-CSI-MNTR-REP</del>	CSI monitoring response message	Basic

### Text proposal for subclause 6.3.2.3 and subclause 15.3

*Replace every occurrence of CCID\_IND with the following:*

~~CX-CCID~~--IND

*Replace every occurrence of CCID\_RES with the following:*

~~CX-CCID~~--RES

## **Text proposal for subclause 6.3.2.3 and subclause 15.5.1**

*Replace every occurrence of ACCESS-NBS-REQ and Access-NBS-REQ with the following:*

~~CX-ACCESS-NBS-REQ~~

~~CX-ACCESS-NBS-RSP~~

## **Text proposal for subclause 6.3.2.3**

*Replace every occurrence of FWD-END-REQ with the following:*

~~CX-FWD-END-REQ~~

## **Text proposal for subclause 6.3.2.3.68, subclause 11.27, subclause 11.28, and subclause 15.3.4.4**

*Replace every occurrence of CSI-MNTR-CFG with the following:*

~~CX-CSI-MNTR-CFG~~

*Replace every occurrence of CSI-MNTR-REP with the following:*

~~CX-CSI-MNTR-REP~~