

# Physical Layer & DLL Classification <sub>v100</sub>

**Matthias Wendt, Lennart Yseboodt**

Philips Research

January 8, 2015

# Supporters

Koussalya Balasubramanian / Cisco

David Abramson / TI

Jean Picard / TI

Sesha Panguluri / Broadcom

David Tremblay / HP

Yair Darshan / Microsemi

Christian Beia / ST Microelectronics

Gaoling Zou / Maxim

Miklós Lukács / Silicon Labs

Faisal Ahmad / Akros Silicon

Yan Zhuang / Huawei

Rui Hua / Huawei

## Proposed changes

It is a Lighting requirement that physical layer classification is available.  
See presentation September 2014<sup>1</sup>.

**Goal:** Physical layer classification is mandatory for Type 3 and 4 PSEs.  
DLL remains optional for PSEs, and remains mandatory for PDs.

---

<sup>1</sup>[http://www.ieee802.org/3/bt/public/sep14/yseboodt\\_1\\_0914.pdf](http://www.ieee802.org/3/bt/public/sep14/yseboodt_1_0914.pdf)

# Motion 1

Move to,  
Type 3 and type 4 PSEs shall support physical layer classification for all the power levels the PSE can support.

Mover:

Second:

Yes:

Abstain:

No:

