P802.3ck D2.1 **Comment Resolution Agenda** Meeting 2 and 3

Matt Brown, Huawei, 802.3ck Editor-in-Chief 802.3ck Editorial Team

Introduction

 This slide package provides the initial comment agenda for the Draft 2.1 comment resolution.

We are here...

123 comments received on time
30 late comments
153 comments in total
51 in bucket #1
1 withdrawn
5 closed
66 on-time comments to address on floor

Clause	E	G	T	ER	GR	TR	Open	Closed	Total
00	2	0	0	0	0	0	2	0	2
116	0	0	2	0	0	0	2	0	2
120	1	0	0	0	0	1	1	1	2
120F	0	0	0	0	0	1	1	0	1
120G	15	0	15	6	0	26	60	2	62
161	1	0	1	0	0	0	2	0	2
162	11	0	6	3	0	12	30	2	32
162A	3	0	1	0	0	0	4	0	4
162B	3	0	1	2	0	0	6	0	6
162C	0	0	0	0	0	2	2	0	2
162D	3	0	0	0	0	1	4	0	4
163	7	0	2	0	0	7	15	1	16
163A	7	0	3	1	0	3	14	0	14
163B	0	0	1	0	0	0	1	0	1
80	0	0	1	0	0	0	1	0	1
93A	1	0	0	0	0	0	1	0	1
FM	1	0	0	0	0	0	1	0	1
Total	55	0	33	12	0	53	147	6	153

Comment agenda

- Comment resolution order is shown in the following slides.
- This agenda is subject to change on a weekly basis.
 - Any changes will be communicated ahead of the next week's meeting.

Comment resolution sequence

Meeting # and Date	Topic	
2/3, July 27/28	Annex 120G	
	CC comments 29, 75, 76	
	163*, 162*	
	remaining CC and 120G	
4/5/6, August 9/10/11	late comments (if approved by the task force)	

Annex 120G

Clause	Topic	Comments	
120G	EO method	[39, ran_01], 106	
120G	test system response	120	
120G	HO EH/VEC	61	
120G	MO VEC/EH	59, 62, 97, 98, ghiasi_01	
120G	HI SI EH/VEC	66, ghiasi_01	
120G	MI EH/VEC	68, ghiasi_01	
120G	RR g_DC	103, 104, 105	
120G	нотт	58	
120G	MO DC CM voltage tolerance	49, 50, ran_02	
120G	MO SI host reference channel	102	
120G	HI/MI AC CM voltage tolerance	[<u>51</u> , 55 , ran_03]	
120G	HI/MI SI method	[<u>9</u> , 71], 53, 72	
120G	HI SI SJ	54	
120G	HI/MI SI method	122	
120G	MI reference channel	36	
120G	HI/MI pattern table	119	
Note: In "Topic" column HO is host output, HI is host input, MO is module output, and MI is module input.			

Cross-clause

Clause	Topic	Comments
162B/163	transition time	[<u>73</u> , <u>74</u> , 7], 15
120G/120F/162/163	signal level	37, ran_04
120G/162	ERL Tfx	100
162/162A/162B/163/120F/120G	IL terminology	[<u>13</u> , <u>14</u> , 116]
162/163	units	101
162/163/163A/163B	Np value	29, 75, 76, wu_adhoc_140721, dudek_01

Clause 120F, 163, 163A, 93A (Phil, Matt, Howard)

Clause	Topic	Comments
163	TF RLcc	117
120F	TX RLcc	110
163A	language	91, 23, 41, 43
163A	pulse response	40
163A	vpeak/vf	42
163A	measurement filter	21
93A	b(n) equation	118

Clause 162, 162A/C/D (Howard, Chris)

Clause	Topic	Comments
162	host/CA IL	92, 93
162	vf method/value	30, 107
162	SNDR test response	78
162	EOJ method	109
162	TP5 specifications	111
162	RLdc/RLcd graphs	115
162	broadband noise	113
162	CA RLcc	79, 94
162	CA COM DFE RSS	96
162A	host PCB IL	108
162C/162D	MDI names	64, 57
162C	MDI pins	63, ghiasi_02

Bucket #1

Clause	Comments	
00	5, 20	
FM	26	
80	2	
161	18, 27	
162	6, 24, 28, 31, 32, 33, 81, 82, 83, 84, 85, 86, 99, 112, 114	
163	17, 19, 25, 34, 44, 45, 77, 87, 88	
120G	8, 10, 38, 47, 48, 52, 56, 60, 65, 67, 69, 70, 89, 90	
162A	11	
162B	12	
163A	1, 22	

Bucket #1 comment report is here:

https://www.ieee802.org/3/ck/comments/draft2p1/8023ck D2p1 comments proposed bucket1.pdf

Withdrawn (so far)

Clause	Comments
120	16