

# **P802.3dj D1.0**

## **Comment Resolution Agenda**

Matt Brown, Alphawave, P802.3dj Editor-in-Chief

Gary Nichol, Cisco, Logic Track Lead Editor

Adee Ran, Cisco, Electrical Track Lead Editor

Tom Issenhuth, Huawei, Optical Track Lead Editor

# Introduction

- ❖ This slide package provides the comment agenda for the Draft 1.0 comment resolution.
- ❖ Comment resolution order is shown in the following slides.
- ❖ The agenda is subject to change as required.
- ❖ Comments/topics that appear to be converging but require some offline consensus building might be “parked” and addressed at a later date in this CRG meeting series.
- ❖ Electrical comments/topics are likely going to require the entire 8 days to complete so for any spare time on task force days these topics will have priority.
- ❖ Parallel meetings may be running for the three tracks. Individuals are encouraged to review the topics in each track to understand if there are any conflicts.

# Comment resolution

## Approach to comment resolution (same as 802.3df)

The following approach will be utilized for resolving comments...

- ❖ Review the proposed response
  - Discuss and refine as needed and attempt to close without objection using **direction** straw polls, as necessary.
  - If no more than two objections (including commenter) to proposed response then consider it to be consensus and close comment.
  - If more than two objections then use **decision** straw poll(s) to move forward.
- ❖ Use of a **direction** straw poll to determine a direction
  - Use the result of the direction straw poll(s) to determine consensus, refine the proposed response, or to craft a decision straw poll.
- ❖ Use of a **decision** straw poll to make a final decision.
  - The decision straw poll winner is the option that has more than 50% support.
  - Close the comment based on the winner of the decision straw poll(s).
- ❖ The editorial team may provide presentations as needed to aid in the resolution of comments.
- ❖ Individuals are reminded to review “IEEE SA Balloting and Comment Resolution Process Guidelines”  
<https://standards.ieee.org/wp-content/uploads/import/governance/revcom/guidelines.pdf>

IEEE P802.3dj Task Force, May 2024

8

Source: [https://www.ieee802.org/3/dj/public/24\\_05/brown\\_3dj\\_01\\_2405.pdf](https://www.ieee802.org/3/dj/public/24_05/brown_3dj_01_2405.pdf)

# We are here...

613 comments received

8 withdrawn

246 in bucket #1 (34 pulled so far)

34 in bucket #2

210 closed Mon/Tue

151 to resolve on the floor

Clause	E	G	T	ER	GR	TR	Open	Closed	Total
00	0	0	2	0	0	0	2	0	2
1	0	0	1	0	0	4	5	0	5
116	1	0	2	0	0	10	12	1	13
119	1	0	1	0	0	0	2	0	2
120	0	0	1	0	0	0	1	0	1
120F	0	0	1	0	0	0	1	0	1
169	0	0	5	0	0	15	20	0	20
170	0	0	1	0	0	0	1	0	1
171	0	0	4	0	0	0	2	2	4
174	0	0	1	0	0	1	1	1	2
174A	0	0	0	0	0	5	0	5	5
175	0	0	14	0	0	0	12	2	14
175A	0	0	1	0	0	0	1	0	1
176	13	0	29	0	0	7	40	9	49
176A	6	0	35	3	0	7	49	2	51
176D	1	0	13	0	0	17	26	5	31
176E	0	0	18	0	0	15	23	10	33
177	2	0	29	0	0	8	32	7	39
177A	0	0	1	0	0	0	1	0	1
178	1	0	13	0	0	84	63	35	98
178A	0	0	8	0	0	3	5	6	11
179	0	0	21	0	0	28	31	18	49
179A	2	0	5	0	0	2	8	1	9
179B	2	0	3	0	0	2	6	1	7
179C	1	0	4	0	0	1	6	0	6
180	0	0	19	1	0	3	4	19	23
181	0	0	13	0	0	6	2	17	19
182	0	0	17	0	0	6	5	18	23
183	0	0	15	0	0	6	1	20	21
184	1	0	29	0	0	5	22	13	35
185	0	0	8	0	0	6	3	11	14
186	0	0	2	0	0	0	2	0	2
187	0	0	7	0	0	0	0	7	7
30	0	0	2	0	0	1	3	0	3
45	0	0	4	0	0	1	5	0	5
73	0	0	1	0	0	2	3	0	3
90A	0	0	2	0	0	0	2	0	2
93B	0	0	0	0	0	1	1	0	1
<b>Total</b>	<b>31</b>	<b>0</b>	<b>332</b>	<b>4</b>	<b>0</b>	<b>246</b>	<b>403</b>	<b>210</b>	<b>613</b>

# Comment resolution sequence

Meeting # and Date	Topic
<del>Monday June 3</del>	<del>Task force session (single meeting) Common topics</del>
<del>Tuesday June 4</del>	<del>Tracks: Logic, Electrical, Optical (three parallel meetings)</del>
<del>Wednesday June 5</del>	<del>Tracks: Electrical only</del>
Thursday June 6	Task force session (single meeting) Motion to adopt responses to bucket #1 and bucket #2 comments. Common topics. Electrical topics.
Monday June 10	Tracks: Logic, Electrical, Optical (three parallel meetings)
Tuesday June 11	Tracks: Logic, Electrical, Optical (three parallel meetings)
Wednesday June 12	Tracks: Logic, Electrical, Optical (three parallel meetings)
Thursday June 13	Task force session. (single meeting) Any remaining comments. Closing business

# Common (task force)

Clause	Topic	Comments
Many	AUI generations	581 (defer)
174	1.6T list of interface widths	<del>480</del>
116, 182	FR1 PHY	<del>311</del>
176, 177, 180-182	Precoding	[ <del>21</del> , 146, 145, 540, 541], [ <del>547</del> , 582, 147, 148, 85]
178, 174A	BER/FLR	[ <del>205</del> , 190, 191, 192, 206], 246
177	Inner FEC coding gain	<del>22</del>
116, 176, 177	Skew	531, 181, 182 (defer)
185	Test pattern	<del>374</del>
116, 169	Figures, tables	[ <del>78</del> , <del>321</del> ], [ <del>152</del> , <del>510</del> ]
180	Jitter	519, 520
176A+	ILT terminology	496
176A	ILT General	<del>577</del>
73, 116	ILT Service Interface, RTS	194, 495
176A	ILT Coefficients, Diagrams	[ <del>457</del> , <del>458</del> ], 500, 550, [569, 570], 575
176A	ILT Frame, Pattern	[ <del>358</del> , 61, 200, 496, 497, 548], <del>562</del> , 498
<p><i>Note that comment resolution order may be readjusted.</i></p> <p><b>Cyan highlight:</b> pulled from bucket #1</p>		

Legend: [##,##,##] = related comments, ## = pivot comment, [##,##,author\_nn] = related presentation

# Electrical track #1

Page done

Clause	Topic	Comments
Many	Many	<u>clawc_3dj_01a_2406</u>
178, 179, 176D, 176E	<b>BT filter bandwidth</b>	178: <del>60</del> , 230, <del>309,32</del> , 245 179: 424, 225, 388, 410, 412, 217 176D: 425, 422 176E: 433, 434
178, 179, 179B	<b>ERL/dERL</b>	178: 28, <del>29</del> , 43, 237, 238, 239, 240, 244, [234, 244], 252 179: 48, 54 179B: 58
179/176E	<b>ERL Tfx</b>	179: <del>227</del> , 218, 219 176E: 220, 224
178, 179, 176D, 179A	<b>COM</b>	178: [ <del>33</del> , <del>250</del> , 402, 253], [249, 400] 179: [50, 413], [49, 414] 176D: 430, 427 179A: 57
178A	<b>DER0, MLSD</b>	<del>362</del> , 287, 286, 244, 212, 285
178, 176D, 176E	<b>COM CTLE parameters</b>	178: <del>263</del> , 264, 265, 266 176D: <del>433</del> 176E: <del>440</del>
<p><i>Note that comment resolution order may be readjusted.</i></p> <p><b>Cyan highlight:</b> pulled from bucket #1</p>		

Legend: [##,##,##] = related comments, ## = pivot comment, [##,##,author\_nn] = related presentation, **Topic** = editorial slides

# Electrical track #2 – continuing on Monday June 10

Clause	Topic	Comments
176E, 178, 179A	Channel ILdd	176E: <del>73</del> , <del>130</del> , <del>129</del> , <del>134</del> 178: [34, 251] 179A: 524, 585
178, 179, 176D, 176E	COM Rx FFE length parameters	178: [ <del>274</del> , <del>275</del> , <del>276</del> , <del>277</del> , <del>278</del> ], 42, <del>71W</del> 179: <del>54</del> , <del>70W</del> 176D: <del>504</del> , 144 176E: <del>72</del> , 140 <del>lusted_3dj_07_2405</del> (also for eta0), <del>lusted_3dj_01a_2406</del>
178, 179, 176D, 176E	COM eta0	178: <del>269</del> , <del>408</del> , <del>71W</del> 179: <del>419</del> , <del>70W</del> 176D: [504, <del>heck_3dj_01b_2405</del> ], 143 176E: <del>72</del>
178, 179, 176D	COM voltages	<del>38</del> , 267, 406, 417, 434
178, 179, 176D, 176E	Reference impedance, COM R_d, COM R_0	178: <del>395</del> , [396, 397, 255, 256], <del>35</del> , [254, 403] 179: 387, [391, 392], 52, 414 176D: 141, 431 176E: 137, 136, 438

*Note that comment resolution order may be readjusted.*

Legend: [##,##,##] = related comments, ## = pivot comment, [##,##,author\_nn] = related presentation, **Topic** = editorial slides

# Electrical track #3

Clause	Topic	Comments
178, 178, 176D, 176E	<b>TX Jitter</b>	178: [236, 271, 272] 178, 178, 176D, 176E: [204 <a href="#">ran_3dj_03_2405</a> ]
178, 179, 176D, 176E	<b>COM T_r</b>	178: 268, 407 179: <a href="#">39</a> , 418 176D: 435 176E: 441
178, 179, 176D, 176E	<b>COM Tx FFE</b>	178: <a href="#">37</a> , [258, 259, 260, 261, 262], 405 179: 416 176D: 142 176E: 138
178, 179, 176D, 176E	<b>COM f_r</b>	178: <a href="#">36</a> , 257, 404 179: 53, 415 176D: 432 176E: 439
178, 179, 176D, 176E	<b>COM Rx FFE coefficient limits</b>	178: [ <a href="#">279</a> , 280, 281, 282, 283, 284 <a href="#">lim_3dj_01_2405</a> ], 42, 71 179: 54, 70 176D: [504 <a href="#">heck_3dj_01b_2405</a> ], 144 176E: 72, 140
<i>Note that comment resolution order may be readjusted.</i>		

Legend: [##,##,##] = related comments, [##](#) = pivot comment, [##,##,author\_nn] = related presentation, **Topic** = editorial slides

# Electrical track #4

Clause	Topic	Comments
178, 179	<b>TX SNDR/SCMR/SNR_TX</b>	178: <u>27</u> , 31, 41, 270 179: 45, 47
178	Tx RLcc	242
	COM methodology	215, 359, 360, 421, 437, 443
179A	HCb + MCB	586
	Linear fit	30, 243, 44, 46, 444
	Assorted COM parameters	42, 71, 54, 70, 143, 504, 72
178, 179, 176D, 176E	R_LM	<u>273</u> , 409, 420, 436, 442
178	TX FFE	233, <u>234</u> , 235, 288
178	TX RLcc	232
179	TX SNR_ISI	226
178, 179	RX ITOL/JTOL	247, 248, 177
176E	C2M Input	[ <u>188</u> , 189]
176E	C2M Output	65, 132, 139, [ <u>186</u> , 187, 203], 365, 522
	pulls from bucket #1, to be sorted	<u>62</u> , <u>64</u> , <u>390</u> , <u>452</u> , <u>511</u> , <u>512</u> , <u>513</u> , <u>514</u> , <u>515</u> , <u>523</u>
<p><i>Note that comment resolution order may be readjusted.</i></p> <p><b>Cyan highlight:</b> pulled from bucket #1</p>		

Legend: [##,##,##] = related comments, ## = pivot comment, [##,##,author\_nn] = related presentation, **Topic** = editorial slides

# Optical track #1

Page done

Clause	Topic	Comments
	TX specifications	180: <del>326</del> 181: 6, 8, [ <del>162, 327</del> ] 182: <del>328</del> 183: 7, 9, [ <del>42, 503</del> ], [ <del>164, 329</del> ], 466 185: [ <del>380, 384</del> ], 578, 579 187: [ <del>409, 410</del> ]
	RX specifications	180: <b>517</b> 181: 40, 463 183: 44, [ <del>465, 467</del> ] 185: 580 187: 417
	Optical channel specifications	[ <del>207, 208</del> ] [ <del>416, 383, 473</del> ] [ <del>335, 336, 337</del> ] 183: [ <del>425, 426</del> ] 185: <del>382</del>
	Power budget	[ <del>428</del> , 469, 474, 472] 180: [ <del>427, 470</del> ] 181: 464, 473 183: [ <del>502, 468</del> ]
<i>Note that comment resolution order may be readjusted.</i>		

Legend: [##,##,##] = related comments, ## = pivot comment, [##,##,author\_nn] = related presentation

# Optical track #2

Page done

Clause	Topic	Comments
	Delay	[ <del>414</del> , 415]
	RIN-OMA	[ <del>518</del> , 43, 44, 45, 46]
	TDECQ	[ <del>324</del> , 325] [ <del>17</del> , 48, 49, 20] 4
	TQM	185: <del>384</del>
	Connector labeling	[ <del>590</del> , 592, 587, 588, 589, 594]
	IEC revision	[ <del>338</del> , 344, 346] [ <del>342</del> , 350] [ <del>339</del> , 340, 341, 343, 345, 347, 348, 349, 351, 352, 353, 354, 355] [ <del>335</del> , 336, 337]
<i>Note that comment resolution order may be readjusted.</i>		

Legend: [##,##,##] = related comments, ## = pivot comment, [##,##,author\_nn] = related presentation

# Logic track #1

Page done

Clause	Topic	Comments
174	Link fault signaling	385
175	FEC error counters	468
176	Test vectors (SM-PMA)	[298, <a href="#">loewenthal_3dj_01a_2406</a> ]
177	Inner FEC-syne	505
184	Algorithm	[ <del>613</del> , 97]
184	Diagrams	[ <del>372</del> , 373], [307, 560]
176	Subclause reorganization (SM-PMA)	[80, 485, 486, 487, 538]
175	timesyne	332
184	reorder	[178, 92]
184	Algorithm	93, 94, 96, 99, 100
<i>Note that comment resolution order may be readjusted.</i> Cyan highlight: pulled from bucket #1		

Note: Comments #93 and #178 were pulled from the bucket during the June 10 logic track comment consideration (Day 2) call.

Legend: [##,##,##] = related comments, ## = pivot comment, [##,##,author\_nn] = related presentation

# Logic track #2 – continuing on Monday June 10

## (Note: starting at 10am ET)

Clause	Topic	Comments
176	Deskew (200GbE/400GbE)	[368, 367, 594, 596, 598, shrikhande_3dj_01_2406]
73	Priority table	149
176	timesync	597
177	pad insertion	84, 489
177	Inner FEC sync	492
184	Functional	89
184	Interface	106
<p><i>Note that comment resolution order may be readjusted.</i></p> <p>Cyan highlight: pulled from bucket #1</p>		

Legend: [##,##,##] = related comments, ## = pivot comment, [##,##,author\_nn] = related presentation

# Buckets

Page done

Bucket #1 (low-controversy T/TR) comments are listed in the following comment report:

[https://www.ieee802.org/3/dj/comments/D1p0/8023dj\\_D1p0\\_comments\\_proposed\\_bucket1\\_v2.pdf](https://www.ieee802.org/3/dj/comments/D1p0/8023dj_D1p0_comments_proposed_bucket1_v2.pdf)

The following comments were pulled from bucket #1:

40, 55, 62, 64, 78, 84, 89, 92, 93, 94, 96, 99, 100, 106, 129, 134, 149, 152, 178, 307, 321, 332, 390, 452, 489, 492, 510, 511, 512, 513, 514, 515, 523, 597 (34 comments)

Bucket #2 (E/ER) comments are listed in the following comment report:

[https://www.ieee802.org/3/dj/comments/D1p0/8023dj\\_D1p0\\_comments\\_proposed\\_bucket2\\_v2.pdf](https://www.ieee802.org/3/dj/comments/D1p0/8023dj_D1p0_comments_proposed_bucket2_v2.pdf)

No pulls from the bucket will be possible.

Bucket #1 comments (not pulled) and bucket #2 comments adopted on Thursday June 6.

# Withdrawn

The following comments were withdrawn (so far):  
462, 578, 579, 580, 606, 607, 71, 70