P802.3dj D2.2 Comment Resolution Agenda

Matt Brown, Alphawave, P802.3dj Editor-in-Chief Gary Nicholl, Cisco, Logic Track Lead Editor Eugene Opsasnick, Broadcom, Logic Editor Adee Ran, Cisco, Electrical Track Lead Editor Tom Issenhuth, Huawei, Optical Track Lead Editor

Introduction

- This slide package provides the comment agenda for the Draft 2.2 comment resolution.
- Comment resolution order is shown in the following slides.
- The agenda is subject to change as required.
- Comments/topics that appear to be converging but require some offline consensus building might be "parked" and addressed at a later date in this CRG meeting series.
- Parallel meetings may be running for the three tracks (logic, electrical, and optical).
 - Individuals are encouraged to review the topics in each track to understand if there are any conflicts.

Comment resolution procedure

Source: https://www.ieee802.org/3/dj/public/24 05/brown 3dj 01 2405.pdf

Approach to comment resolution (same as 802.3df)

The following approach will be utilized for resolving comments...

- Review the proposed response
 - Discuss and refine as needed and attempt to close without objection using direction straw polls, as necessary.
 - If no more than two objections (including commenter) to proposed response then consider it to be consensus and close comment.
 - > If more than two objections then use **decision** straw poll(s) to move forward.
- Use of a direction straw poll to determine a direction
 - Use the result of the direction straw poll(s) to determine consensus, refine the proposed response, or to craft a decision straw poll.
- Use of a decision straw poll to make a final decision.
 - The decision straw poll winner is the option that has more than 50% support.
 - Close the comment based on the winner of the decision straw poll(s).
- The editorial team may provide presentations as needed to aid in the resolution of comments.
- Individuals are reminded to review "IEEE SA Balloting and Comment Resolution Process Guidelines"

https://standards.ieee.org/wp-content/uploads/import/governance/revcom/guidelines.pdf

IEEE P802.3dj Task Force, May 2024

8

All comment responses closed by the CRG are approved by the task force by a technical motion.

We are here...

Comment summary (so far): 427 received 294 closed 133 total comments to resolve

66 Common track45 Electrical track1 Logic track22 Optical track

Clause	E	G	Ţ	ER	GR	TR	Open	Closed	Total
00	2	0	0	0	0	0	0	2	2
116	0	0	1	0	0	6	5	2	7
119	4	0	5	0	0	4	0	13	13
120	0	0	0	0	0	1	0	1	1
169	1	0	0	0	0	3	1	3	4
172	1	0	2	0	0	1	0	4	4
174	1	0	0	1	0	2	2	2	4
174A	0	0	3	1	0	5	4	5	9
175	2	0	0	0	0	0	0	2	2
175A	1	0	1	0	0	0	0	2	2
176	2	0	4	0	0	0	0	6	6
176B	0	0	0	0	0	1	0	1	1
176C	2	0	2	0	0	9	7	6	13
176D	3	0	3	1	0	10	9	8	17
177	2	0	6	0	0	3	0	11	11
178	3	0	10	0	0	14	18	9	27
178A	0	0	0	0	0	2	2	0	2
178B	14	0	11	5	0	27	21	36	57
179	5	0	9	4	0	19	21	16	37
179A	0	0	0	3	0	1	0	4	4
179B	6	0	3	2	0	5	1	15	16
179C	0	0	0	0	0	1	1	0	1
180	9	0	10	4	0	54	17	60	77
180A	0	0	2	0	0	0	0	2	2
181	1	0	0	1	0	15	5	12	17
182	3	0	0	0	0	19	7	15	22
183	2	0	4	0	0	16	11	11	22
184	6	0	2	0	0	1	2	7	9
185	2	0	1	1	0	2	0	6	6
185A	0	0	3	0	0	0	0	3	3
186	7	0	2	1	0	11	0	21	21
186A	0	0	0	0	0	1	0	1	1
187	4	0	0	0	0	1	0	5	5
73	0	0	0	0	0	1	0	1	1
73A	0	0	1	0	0	1	0	2	2
Total	83	0	85	24	0	236	134	294	428
-	63	0	03	2-1	J	250	104	254	720

Comment resolution summary

Meeting Date	Business and Tracks
	Opening business
	Bucket #1 motion
Day #1: 2025/11/10 Monday	Common track comments PM1/PM2 (likely PM3)
	Common track comments AM1/AM2
	Optical track PM1/PM2 (tentatively PM3)
	Electrical track PM1/PM2 (tentatively PM3)
Day #2: 2025/11/11 Tuesday	Logic track PM1/PM2 (tentatively PM3)
	Electrical track AM1/AM2/PM1/PM2
Day #3: 2025/11/12 Wednesday	Optical track AM1/AM2/PM1/PM2
	Liaison motions, etc., ?
	Common-track comments
	Any other remaining comments
Day #4: 2025/11/13 Thursday	Closing business

Common-Track General {#}

Day #4

Topic	Clause/Annex	Comments
Tx FRx, receiver specs	180-183	<mark>82</mark> , 226
PSU: Polarity correction	178B, 180-183	180, brown_03
test blocks	174A	312, brown_03
test methods	174A, 178+	<mark>188</mark> , 189
PSU: wording	MANY	[150, 27, 28, 29, 30, 31, 33, 34, 35, 36, 37, 38, 39, 40, 42, 43, 44, 45, 46, 47, 49, 50, 51, 53, 56, 61, 62, 63, 64, 66, 67, 68, 69, 71, 153, 240, 242, brown_03]
PSU: Definitions	178B	[414, 11, 318], brown_03 350, 413
PSU: Scope	178B	<mark>237</mark>
PSU: psu state diagrams	178B	[351, slavick_01], [222, 344], 291, [315, wang_01], 340, 344
PSU: variables	178B	236, 292, <mark>336</mark> , <mark>19</mark>
PSU: timers	178B	221
Rx tests	179+	202, 203
block error ratio	174A	307
PSU: ILT for coherent PMDs	184	219, ran_03
Tx FRx to informative annex	180- 183	<mark>226</mark>

Note that comment resolution order may be readjusted.

Cyan highlight: pulled from bucket #1

Legend: [##,##,##] = related comments, <u>##</u> = pivot comment, [##,##,author_nn] = related presentation

November 2025

IEEE P802.3dj Task Force

Common-Track General {#}



Topic	Clause/Annex	Comments
Block error ratio acronym	174A	18 , brown_03
test methods	174A, 178+, 180 183	166

Note that comment resolution order may be readjusted.

Common-Track ILT {#}



Topic	Clause/Annex	Comments
PSU: LOCAL_PATTERN mode	178B	149
PSU: Rename PSU	178B	412

Note that comment resolution order may be readjusted.

Common-Track Optical {#}

Day a	#4
-------	----

Topic	Clause/Annex	Comments
Remove TX TQM test		nowell_3dj_adhoc_01a_251030, ghiasi_02, chayeb_02,
		rodes_01, cole_01, (preview comments 82, 207, 201)
TDECQ DFE tap		136
Jitter		139, 160, 224, 256, 257, 258, 259 (resolve in optical track)
TDECQ_CER		137, 248, 249, 250 (resolve in optical track)
TFSEM	180-183	138
TDECQ mission mode	180-183	[265, 275, 267, 269, 270] (resolve in optical track)
TDECQ, DFE behaviour	180-183	227
CER TDECQ	180-183	117 , 118 , chayeb_01
CER TDECQ limit	180 183	[261 , 262 , 263 , 264 , ghiasi_01 , rodes_01]
Tx FRx, AUI jitter	180 183	[266 , 268]
Tx FRx, ILT	180-183	[278, 279, 280, 281] (resolve in optical track)
jitter limit	180-183	207, calvin_01 (resolve in optical track)
jitter test pattern	180-183, 176, 177	4, 5 (resolve in optical track)
Jitter (3)	176D 179	[201 ran_02] [358 359], calvin_01 (resolve in electrical track)
VEC (EECQ) (2)	176D	276 277 calvin_01 (resolve in electrical track)

Note that comment resolution order may be readjusted.

Optical Track {#}

Done

Topic	Clause/Annex	Comments
ETCC	185A	120 , 251 , temprana_01a
OMA outer	180	211
overshoot	180, 181, 182, 183	223 , [252 , 253 , 254 , 255 , ghiasi_03]
RINxxOMA	180	214
Rx Sensitivity	180, 181, 182, 183	[98 , 99 , 100 , 101 , 102]
signaling rate	180	10
TX FRx test pattern	181, 182, 183	[103 , 104 , 105]
Tx FRx	180-183	[<u>194</u> , 192 , 193 , 191 , 228 , 229 , 230 , 317], [271 , 272 , 273 , 274], [72 , 225 , 155] issenhuth_01
CD penalty LR4, Tx FRx	180, 181, 182, 183	[<u>432</u> , 433 , 434 , 435 , he_01]
TDECQ	180	<mark>8, 316, 116, 231</mark>
CER TDECQ	180-183	[114 , 6 , 115], [7 , 260 , 112 , 113], chayeb_01 , rodes_02

Note that comment resolution order may be readjusted.

Electrical Track (57)

Day #3

Topic	Clause/Annex	Comments
Loss budget (4)	179 176D 179A	[232 heck_01] 204 [233W heck_02]
MTF requirements {2}	179B	[301 302 kocsis_01]
CA minimum loss (1)	179	303
Test fixtures (5)	179 179B	299 141 167 306 <mark>407 408</mark> 409
Jitter (3)	176D 179	[201 ran_02] [358 359], calvin_01
VEC (EECQ) {2}	176D	276 277 calvin_01
Test points {2}	179	397 [396 406 swenson_01]
SCMR_CH {2}	179	[111 304 ellison_01]
Rx tests {11}	178 179 176C 176D	[355 174] [179 176] [79 80] 173 175 178 108 110
RLdc {2}	179	[142 177]
Single-ended input tolerance {1}	176D	81
Tx signaling rate {1}	178	9
SNDR {1}	179	361
R_peak (3)	179 176D [178 176C?]	[<u>200</u> 143 healey_01] 360
MDI lane mapping {1}	179C	183
Modal ERL {15}	178 179 176C 176D 178A	[126 123 124 125 127 128 129 130 131 132 133 134 135 121] 122
		{mellitz_3dj_adhoc_01a_251030}
"Difference" parameters	178 176C	144 145 146 147 148
AUI eq PMD	176C 176D	16

Note that comment resolution order may be readjusted.

Logic Track {20}

Done

Topic	Clause/Annex	Comments
50 ppm vs. 100 ppm requirements	120	[165, 327, 170, 347, ofelt_01]
Stateless decoder	119	[32, 392, 93]
PMA block error counters	176	428
ER1 test vectors	<mark>186A</mark>	152
Deskew state diagrams	184, 186	[<u>366</u> , 365], 374
ER1 state diagrams	186	379, 386, 390
Inner FEC MDIO registers	177	[<u>419</u> , 171, 198, 172]
Inner FEC Pad Scrambler	177	197
PCS state variables	175	362
Constant usage and pilot symbol	184	354
Note that comment resolution order may be readjusted	.	

Note that comment resolution order may be readjusted.

Bucket #1

Done

Bucket #1 comments are listed in the following comment report:

https://www.ieee802.org/3/dj/comments/D2p2/8023dj_D2p2_comments_proposed_id_bucket1.pdf

The following comments were pulled from bucket #1 (so far):

407, 408, 3<mark>54, 409</mark>

(count #)

Withdrawn

The following comments have been withdrawn (so far): 1, 2, 41, 48, 52, 55, 58, 65, 70, 213, 356, 300, 233 (count 13)