

IEEE P802.3dk D1.0 Greater than 50 Gb/s Bidirectional Optical Access PHYs 1st Task Force review comments

CI 00 SC 0 P L # 15
 Effenberger, Frank Futurewei Technologies
 Comment Type ER Comment Status X
 Line numbers should be given for every page. (there are page numbers only for the FM sections)
 SuggestedRemedy
 Add line numbers throughout.
 Proposed Response Response Status O

CI 45 SC P L # 25
 Effenberger, Frank Futurewei Technologies
 Comment Type ER Comment Status X
 We will need to add a modification of clause 45 as it typical for new PMDs
 SuggestedRemedy
 At minimum, add a placeholder for clause 45. Commenter may make a contribution on this topic if time permits.
 Proposed Response Response Status O

CI 30 SC P L # 24
 Effenberger, Frank Futurewei Technologies
 Comment Type ER Comment Status X
 We will need to add a modification of clause 30 as it typical for new PMDs
 SuggestedRemedy
 At minimum, add a placeholder for clause 30. Commenter may make a contribution on this topic if time permits.
 Proposed Response Response Status O

CI 45 SC 45.2.1 P L # 27
 Gui, Tao Huawei Technologies
 Comment Type T Comment Status X
 All 100GBASE-BRx PMA/PMD registers should be added to 45.2.1
 SuggestedRemedy
 Refere to 802.3cp Clause 45.2.1, give editor an edirotial license to add Clause 45. It add new registers of 100GBASE-BRx
 Proposed Response Response Status O

CI 30 SC 30.5.1.1.2 P L # 26
 Gui, Tao Huawei Technologies
 Comment Type T Comment Status X
 All 100GBASE-BRx PMDs are not added to the aMAUType attributes in Clause 30.
 SuggestedRemedy
 Give editor an editorial license to add Clause 30. It extends the existing aMAUType attribute to include 100GBASE-BRx. This includes BR10-D/U, BR20-D/U, and BR40-D/U.
 Proposed Response Response Status O

CI 157 SC P12 L # 16
 Effenberger, Frank Futurewei Technologies
 Comment Type ER Comment Status X
 Since this is an existing clause, the draft should show the edits we are proposing to clause 157 with change marks.
 SuggestedRemedy
 Mark all the new or modified materials as changes.
 Proposed Response Response Status O

IEEE P802.3dk D1.0 Greater than 50 Gb/s Bidirectional Optical Access PHYs 1st Task Force review comments

CI 157 SC 1.3 P14 L # 17
 Effenberger, Frank Futurewei Technologies
 Comment Type E Comment Status X
 In Fig 157-1a, the legend includes XGMII, 25GMII, and 50GMII, but that are not needed
 SuggestedRemedy
 Remove the 10, 25, and 50G MII's from the legend.
 Proposed Response Response Status O

CI 157 SC 157.1.2 P14 L # 5
 Luo, Yuanqiu Futurewei
 Comment Type E Comment Status X
 Figure 157-1a doesn't have XGMII, 25GMII, 50GMII, and Note 1 in the drawing
 SuggestedRemedy
 Remove XGMII, 25GMII, 50GMII, MII, Note 1, and their full names/content from Figure 157-1a.
 Proposed Response Response Status O

CI 157 SC 1.4 P15 L # 18
 Effenberger, Frank Futurewei Technologies
 Comment Type E Comment Status X
 In Table 157-2, "Clause X" appears.
 SuggestedRemedy
 Replace X with 168
 Proposed Response Response Status O

CI 157 SC 157.1.3 P15 L # 30
 Gui, Tao Huawei Technologies
 Comment Type E Comment Status X
 Several places in Table 157-2 show "Clause X". This should be Clause 168.
 SuggestedRemedy
 Change "Clause X" to "Clause 168"
 Proposed Response Response Status O

CI 157 SC 2.2 P18 L # 19
 Effenberger, Frank Futurewei Technologies
 Comment Type T Comment Status X
 Existing text says: "The PMA also may provide an observable electrical interface for the 25GAUI or 50GAUI chip-to-chip (C2C) or chip-to-module (C2M)."
 This is missing the mention of CGAUI, which is now part of the clause
 SuggestedRemedy
 Add the mention of 100G AUI into the C2C and C2M discussion
 Proposed Response Response Status O

CI 157 SC 157.1.3 P15 L # 6
 Luo, Yuanqiu Futurewei
 Comment Type E Comment Status X
 Clause 168 has been assigned to P802.3dk, but in Table 157-2, it still shows "Clause X" in 6 entries. This should be fixed.
 SuggestedRemedy
 Change "Clause X" in Table 157-2 to "Clause 168". There are 6 places to be changed
 Proposed Response Response Status O

IEEE P802.3dk D1.0 Greater than 50 Gb/s Bidirectional Optical Access PHYs 1st Task Force review comments

CI 157 SC 157.2.1 P17 L # 7
 Luo, Yuanqiu Futurewei
 Comment Type E Comment Status X
 A small part of this paragraph (i.e., "each Multi-Gigabit Ethernet BiDi PHY are given in Table 157-3, Table 157-4, Table 157-5, and Table 157-6.") is separated from the main text after 4 tables. This is not reader-friendly.
 SuggestedRemedy
 Move text "each Multi-Gigabit Ethernet BiDi PHY are given in Table 157-3, Table 157-4, Table 157-5, and Table 157-6." to be located before the 4 tables.
 Proposed Response Response Status O

CI 157 SC 157.2.4 P18 L # 3
 Luo, Yuanqiu Futurewei
 Comment Type T Comment Status X
 It says "The PMA also may provide an observable electrical interface for the 25GAUI or 50GAUI chip-to-chip (C2C) or chip-to-module (C2M)". The 100GAUI C2C and C2M should also be mentioned.
 SuggestedRemedy
 Change this sentence to "The PMA also may provide an observable electrical interface for the 25GAUI, 50GAUI, or 100GAUI chip-to-chip (C2C) or chip-to-module (C2M)."
 Proposed Response Response Status O

CI 157 SC 157.2.1 P17 L # 1
 Luo, Yuanqiu Futurewei
 Comment Type E Comment Status X
 Table 157-6, in column head, "X" should be "168", "100GBASE-BR20-OMD" should be "100GBASE-BR20-PMD", "100GBASE-BR40-OMD" should be "100GBASE-BR40-PMD".
 SuggestedRemedy
 Change "X" to "168"
 Change "100GBASE-BR20-OMD" to "100GBASE-BR20-PMD"
 Change "100GBASE-BR40-OMD" to "100GBASE-BR40-PMD"
 Proposed Response Response Status O

CI 168 SC P20 L # 22
 Effenberger, Frank Futurewei Technologies
 Comment Type E Comment Status X
 On all the subclauses of 168, there is an editor's note explaining the origin of the subclause. This should be rephrased into a note that will remain in the draft, because this origin information is useful for the reader.
 SuggestedRemedy
 In each case, make the editor's note into a footnote, referenced by the first sentence.
 Proposed Response Response Status O

CI 157 SC 157.2.1 P17 L # 2
 Luo, Yuanqiu Futurewei
 Comment Type T Comment Status X
 A note about O and M is missing under Table 157-6
 SuggestedRemedy
 Add a superscript "a" to the first "O" or "M" in the table entry, add Note "aM = Mandatory, O = Optional" under table
 Proposed Response Response Status O

CI 168 SC 1 P20 L # 20
 Effenberger, Frank Futurewei Technologies
 Comment Type E Comment Status X
 In table 168-1, the clauses are not listed in numeric order
 SuggestedRemedy
 Move the last line to be the first line.
 Proposed Response Response Status O

IEEE P802.3dk D1.0 Greater than 50 Gb/s Bidirectional Optical Access PHYs 1st Task Force review comments

CI 168 SC 5.4 P25 L # 21
 Effenberger, Frank Futurewei Technologies
 Comment Type E Comment Status X
 Last line: "modulated ptical signal" is missing an o
 SuggestedRemedy
 Fix typo
 Proposed Response Response Status O

CI 168 SC 6.1 P27 L # 23
 Effenberger, Frank Futurewei Technologies
 Comment Type E Comment Status X
 In Table 168-6, for the row on OMA(MIN), there is no need to have four lines.
 SuggestedRemedy
 Recast the first cell in the row of the table to read:
 Outer Optical Modulation Amplitude (OMAouter) each lane (min):
 for $\max(\text{TECQ}, \text{TDECQ}) < 1.4 \text{ dB}$
 for $1.4 \text{ dB} \leq \max(\text{TECQ}, \text{TDECQ}) < \text{TDECQ}(\text{MAX})$
 That way, the four rows of values can be merged into just two rows.
 Proposed Response Response Status O

CI 168 SC 168.6.1 P27 L # 14
 Luo, Yuanqiu Futurewei
 Comment Type E Comment Status X
 Table 168-6, row "RINxOMA (max)", its unit "dB/Hz" is seperated in two lines.
 SuggestedRemedy
 Adjust the width of the unit cell to show "dB/Hz" in a single line
 Proposed Response Response Status O

CI 168 SC 168.6.1 P27 L # 10
 Luo, Yuanqiu Futurewei
 Comment Type T Comment Status X
 Table 168-6, there is an item "Outer Optical Modulation Amplitude (OMAouter) each lane (min)". As 100GBiDi desgin is based upon a single lane model, "each lane" should be removed.
 SuggestedRemedy
 Delete "each lane" from this item name
 Proposed Response Response Status O

CI 168 SC 168.6.1 P27 L # 9
 Luo, Yuanqiu Futurewei
 Comment Type E Comment Status X
 Table 168-6, item "Outer Optical Modulation Amplitude (OMAouter) each lane (min)", unit of the last two lines is missing
 SuggestedRemedy
 In Table 168-6, item "Outer Optical Modulation Amplitude (OMAouter) each lane (min)", add "dBm" as unit of the last two lines
 Proposed Response Response Status O

CI 168 SC 168.6.2 P28 L # 4
 Luo, Yuanqiu Futurewei
 Comment Type T Comment Status X
 SECQ values in Note C of Table 168-7 are different from the SECQ values specified in Clause 168.7.12
 SuggestedRemedy
 In Note C, change SECQ values of BR10 and BR20 to 3.4 dB, change SECQ value of BR40 to 3.9 dB.
 Proposed Response Response Status O

IEEE P802.3dk D1.0 Greater than 50 Gb/s Bidirectional Optical Access PHYs 1st Task Force review comments

CI 168 SC 168.6.2 P28 L # 11
 Luo, Yuanqiu Futurewei
 Comment Type T Comment Status X
 Table 168-7, there is an item "Receiver sensitivity (OMAouter)c, each lane(max)". As 100GBiDi desgin is based upon a single lane model, "each lane" should be removed.
 SuggestedRemedy
 Delete "each lane" from this item name
 Proposed Response Response Status O

CI 168 SC 168.6.3 P29 L # 31
 Gui, Tao Huawei Technologies
 Comment Type E Comment Status X
 A comma sign is missing after text "100GBASE-BR20" in Table 168-8 note a.
 SuggestedRemedy
 Add "," after "100GBASE-BR20"
 Proposed Response Response Status O

CI 168 SC 168.6.2 P28 L # 12
 Luo, Yuanqiu Futurewei
 Comment Type E Comment Status X
 Table 168-7, row "Receiver sensitivity (OMAouter)", unit of this row should be aligned to the values
 SuggestedRemedy
 Align "dBm" to their respective OMAouter values, 2 places
 Proposed Response Response Status O

CI 168 SC 168.7.5.2 P32 L # 13
 Luo, Yuanqiu Futurewei
 Comment Type T Comment Status X
 In Table 168-11, units of the last two columns are missing
 SuggestedRemedy
 In Table 168-11, add "dB" after all optical reutr loss values, add "ps" after all DGD values
 Proposed Response Response Status O

CI 168 SC 168.6.2 P28 L # 29
 Gui, Tao Huawei Technologies
 Comment Type E Comment Status X
 In Note C of Table 168-7, my understadning is SECQ is up to 3 dB for 100GBASE-BR10. SECQ is up to 3.2 dB for both 100GBASE-BR20 and 100GBASE-BR40. The comma sign position should be corrected to show this meaning.
 SuggestedRemedy
 Change Note C to "Receiver sensitivity (OMAouter) (max) is optional and is defined for a transmitter with a value of SECQ up to 3 dB for 100GBASE-BR10, and 3.2 dB for 100GBASE-BR20 and 100GBASE-BR40."
 Proposed Response Response Status O

CI 168 SC 168.10.2.1 P40 L # 8
 Luo, Yuanqiu Futurewei
 Comment Type E Comment Status X
 Two commas are missing in the last sentence of 168.10.2.1
 SuggestedRemedy
 Add a comma after "100GBASE-BR10", add another comma after "100GBASE-BR20"
 Proposed Response Response Status O

CI All SC All P L # 28
 Gui, Tao Huawei Technologies
 Comment Type E Comment Status X
 Line numbers are missing in the document
 SuggestedRemedy
 Update the template to include line numbers
 Proposed Response Response Status O