

IEEE 802.3 Ethernet Working Group  
Liaison Communication

Source: IEEE 802.3 Working Group<sup>1</sup>

To: Jacques Peronnet Chair, IEC TC 64  
[REDACTED]

Wolfgang Niedenzu Secretary, IEC TC 64  
[REDACTED]

Ligia Boros Convenor, IEC TC 64/MT 2  
[REDACTED]

CC: Bob Griffin Chair, IEC TC 108  
[REDACTED]

Jos Remy Secretary, IEC TC 108  
[REDACTED]

Rainer Schmidt Chair, ISO/IEC JTC1/SC25  
[REDACTED]

Matthias Fritsche Chair-elect, ISO/IEC JTC1/SC25  
[REDACTED]

Marco Peter Secretary, ISO/IEC JTC1/SC25  
[REDACTED]

Albrecht Oehler Convenor, ISO/IEC JTC1/SC25 WG3  
[REDACTED]

Thomas Wegman Secretary, ISO/IEC JTC1/SC25 WG3  
[REDACTED]

Alpesh Shah Secretary, IEEE-SA Standards Board  
Secretary, IEEE-SA Board of Governors  
[REDACTED]

James Gilb Chair, IEEE 802 LMSC  
[REDACTED]

Adam Healey Vice-chair, IEEE 802.3 Ethernet Working Group  
[REDACTED]

Jon Lewis Secretary, IEEE 802.3 Ethernet Working Group  
[REDACTED]

Chad Jones Chair, IEEE P802.3da and IEEE 802.3 PDCC Ad Hoc  
[REDACTED]

James Withey Liaison Officer, IEEE 802.3 - SC25 WG3  
[REDACTED]

From: David Law Chair, IEEE 802.3 Ethernet Working Group  
[REDACTED]

---

<sup>1</sup> This document solely represents the views of the IEEE 802.3 Working Group and does not necessarily represent a position of the IEEE, the IEEE Standards Association, or IEEE 802.

Subject: Potential revision of IEC 61140 (document for comment 64/2694/DC)

Approval: Agreed at IEEE 802.3 interim meeting, Hamburg, Germany 19 September 2024

Dear Mr Jacques,

Further to our letter '[Potential scope and requirement overlap between IEC PT 63315 and IEC 60364](#)' dated 30 September 2021, we continue to be concerned with a potential lack of alignment between IEC 61140 and IEC 62368-1 *Audio/video, information and communication technology equipment - Part 1: Safety requirements* ES1 requirements applicable to information and communication (ICT) equipment, including equipment for DC power transfer between ICT ports at  $\leq 60$  Vd.c. using fixed ICT wiring (e.g., Power over Ethernet equipment).

Clause 1 'Scope' of IEC 61140 *Protection against electric shock – Common aspects for installation and equipment* says that 'According to IEC Guide 104, technical committees, when preparing, amending, or revising their publications, are required to make use of any basic safety publication such as IEC 61140.'. Subclause 6.1 'General' in Clause 6 'Protective measures' then says that 'The use of ELV other than that in accordance with 6.7 and 6.8 is not a protective measure'. Since subclause 6.7 is 'Protection by SELV system' and subclause 6.8 is 'Protection by a PELV system', IEC 61140 seems to exclude ES1.

Based on IEC TC 64 document for comment 64/2694/DC '[Maintenance of IEC 61140:2016 ED4 – Protection against electric shock – Common aspects for installations and equipment](#)', we understand that IEC TC 64 is seeking comments and proposals regarding a potential revision of IEC 61140. While IEEE 802.3 notes that 64/2694/DC was addressed to other IEC TCs, we nevertheless would like to request that IEC TC 64 consider if this revision could be an opportunity to achieve alignment across these IEC standards.

As the IEC 62368 series is an essential reference in IEEE 802.3 PoE standards, we request guidance from IEC TC 64 regarding the appropriate channels to stay informed and contribute where necessary.

Sincerely,  
David Law  
Chair, IEEE 802.3 Ethernet Working Group