

Project	IEEE 802.16 Broadband Wireless Access Working Group < http://ieee802.org/16 >	
Title	Correction to the example of OFDMA uplink CC encoding	
Date Submitted	2005-09-09	
Source (s)	Sean Cai ZTE San Diego Inc. 10105 Pacific Heights Blvd. San Diego, CA 92121 USA	scai@ztesandiego.com Voice: 858-554-0387 Fax: 858-554-0894
	Pieter-Paul Giesberts Motorola BV Nieuwegein, The Netherlands	giesberts@motorola.com
Re:	IEEE 802.16 WG Sponsor Ballot on P802.16-2004/Cor1/D4	
Abstract	This contribution is to make correction to the example of OFDMA uplink CC encoding.	
Purpose	To incorporate the test vectors in this contribution into P802.16-2004/Cor1/D5.	
Notice	This document has been prepared to assist IEEE 802.16. It is offered as a basis for discussion and is not binding on the contributing individual(s) or organization(s). The material in this document is subject to change in form and content after further study. The contributor(s) reserve(s) the right to add, amend or withdraw material contained herein.	
Release	The contributor grants a free, irrevocable license to the IEEE to incorporate material contained in this contribution, and any modifications thereof, in the creation of an IEEE Standards publication; to copyright in the IEEE's name any IEEE Standards publication even though it may include portions of this contribution; and at the IEEE's sole discretion to permit others to reproduce in whole or in part the resulting IEEE Standards publication. The contributor also acknowledges and accepts that this contribution may be made public by IEEE 802.16.	
Patent Policy and Procedures	The contributor is familiar with the IEEE 802.16 Patent Policy and Procedures < http://ieee802.org/16/ipr/patents/policy.html >, including the statement "IEEE standards may include the known use of patent(s), including patent applications, provided the IEEE receives assurance from the patent holder or applicant with respect to patents essential for compliance with both mandatory and optional portions of the standard." Early disclosure to the Working Group of patent information that might be relevant to the standard is essential to reduce the possibility for delays in the development process and increase the likelihood that the draft publication will be approved for publication. Please notify the Chair < mailto:chair@wirelessman.org > as early as possible, in written or electronic form, if patented technology (or technology under patent application) might be incorporated into a draft standard being developed within the IEEE 802.16 Working Group. The Chair will disclose this notification via the IEEE 802.16 web site < http://ieee802.org/16/ipr/patents/notices >.	

Correction to the example of OFDMA uplink CC encoding

Sean Cai
ZTE San Diego Inc.

1. Problem Statement

In section 8.4.9.4.4 of P80216_Cor1_D4, an example of one burst of OFDMA uplink using mandatory structure is provided. However, there are errors in subcarrier randomization sequence. Therefore the results of mapping the modulated data onto subcarriers are missing from the standard.

2. Proposed solutions

The Symbol_Offset for uplink is no longer starting from the first symbol of the downlink subframe. The Symbol_Offset is counted from the first symbol of the uplink subframe as 0. OFDM symbol number start = 35 in the uplink example doesn't make sense anymore, it becomes contradictive with the "first time slot" assumption. OFDM symbol number start should be set to 0. The following text changes provide the correct subcarrier randomization sequences, and mapping of the I/Q data and pilot values onto subcarriers.

3. Specific text changes

=== Start text changes ===

[Modify the following text in section 8.4.9.4.4 Example of OFDMA uplink CC encoding]

- 1) OFDM symbol number start = ~~035, mapping from slot 0~~
- 2) Number of time slots in UL allocation = 2
- 3) Starting Logical Slot = 16 (mapped onto physical subchannel 16 in the first time slot and physical subchannel ~~4729~~ in the second time slot due to subchannel rotation)
- 4) IDcell~~UL_PermBase~~ = 5
- 5) ~~UL_PermBase = 5~~ ~~Segment = 0~~
- 6) Modulation = QPSK
- 7) Coding scheme = Convolutional coding
- 8) Coding rate = 1/2
- 9) Frame Number = 5

~~Mapping~~ These results shall be mapped onto subcarriers and ~~multiplied~~ multiplied by PN [assuming the use of logical data subchannel 16, mapped onto physical subchannel 16 in the first time slot and to physical subchannel ~~4729~~ at the second time slot, structure includes pilots and is in the structure of (Symbol Number, Subcarrier Index, I value / Q Value)]:

~~(35,448,+1/0), (35,449,-0.707/+0.707), (35,450,-0.707/-0.707), (35,451,+1/0), (35,512,+1/0), (35,513,-0.707/+0.707), (35,514,-0.707/-0.707), (35,515,-1/0), (35,984,+1/0), (35,985,-0.707/-0.707), (35,986,+0.707/-0.707), (35,987,+1/0), (35,1189,-1/0), (35,1190,-0.707/-0.707), (35,1191,-~~

~~(0.707/-0.707), (35.1192,+1/0), (35.1505,+1/0), (35.1506,+0.707/-0.707), (35.1507,-0.707/+0.707),~~
~~(35.1508,+1/0), (35.1753,-1/0), (35.1754,-0.707/-0.707), (35.1755,+0.707/-0.707), (35.1756,+1/0),~~
~~(36.448,-0.707/+0.707), (36.449,+0.707/-0.707), (36.450,+0.707/-0.707), (36.451,+0.707/+0.707),~~
~~(36.512,+0.707/+0.707), (36.513,-0.707/-0.707), (36.514,-0.707/+0.707), (36.515,+0.707/+0.707),~~
~~(36.984,-0.707/-0.707), (36.985,+0.707/+0.707), (36.986,+0.707/-0.707), (36.987,-0.707/+0.707),~~
~~(36.1189,+0.707/+0.707), (36.1190,+0.707/-0.707), (36.1191,-0.707/+0.707), (36.1192,-0.707/-~~
~~0.707), (36.1505,-0.707/-0.707), (36.1506,-0.707/-0.707), (36.1507,-0.707/-0.707),~~
~~(36.1508,+0.707/-0.707), (36.1753,-0.707/+0.707), (36.1754,-0.707/-0.707), (36.1755,+0.707/-~~
~~0.707), (36.1756,+0.707/+0.707), (37.448,+1/0), (37.449,-0.707/-0.707), (37.450,+0.707/-0.707),~~
~~(37.451,-1/0), (37.512,+1/0), (37.513,-0.707/+0.707), (37.514,+0.707/+0.707), (37.515,+1/0),~~
~~(37.984,+1/0), (37.985,+0.707/-0.707), (37.986,+0.707/-0.707), (37.987,+1/0), (37.1189,+1/0),~~
~~(37.1190,+0.707/+0.707), (37.1191,-0.707/-0.707), (37.1192,+1/0), (37.1505,-1/0), (37.1506,-0.707/~~
~~+0.707), (37.1507,+0.707/-0.707), (37.1508,-1/0), (37.1753,+1/0), (37.1754,-0.707/-0.707),~~
~~(37.1755,-0.707/+0.707), (37.1756,-1/0), (38.232,+1/0), (38.233,+1/0), (38.234,-0.707/+0.707),~~
~~(38.235,-0.707/+0.707), (38.704,+1/0), (38.705,+1/0), (38.706,-0.707/+0.707), (38.707,-0.707/~~
~~+0.707), (38.908,+1/0), (38.909,+1/0), (38.910,-0.707/-0.707), (38.911,-0.707/+0.707),~~
~~(38.1225,+1/0), (38.1226,+1/0), (38.1227,-0.707/-0.707), (38.1228,-0.707/-0.707), (38.1473,+1/0),~~
~~(38.1474,+1/0), (38.1475,-0.707/-0.707), (38.1476,+0.707/+0.707), (38.1813,+1/0), (38.1814,+1/0),~~
~~(38.1815,+0.707/+0.707), (38.1816,-0.707/+0.707), (39.232,-0.707/+0.707), (39.233,-0.707/~~
~~+0.707), (39.234,+0.707/-0.707), (39.235,+0.707/-0.707), (39.704,+0.707/+0.707), (39.705,-0.707/~~
~~0.707), (39.706,+0.707/-0.707), (39.707,-0.707/-0.707), (39.908,-0.707/+0.707), (39.909,-0.707/~~
~~0.707), (39.910,-0.707/-0.707), (39.911,-0.707/-0.707), (39.1225,+0.707/-0.707), (39.1226,+0.707/~~
~~0.707), (39.1227,-0.707/-0.707), (39.1228,+0.707/-0.707), (39.1473,-0.707/+0.707),~~
~~(39.1474,+0.707/-0.707), (39.1475,-0.707/+0.707), (39.1476,-0.707/+0.707), (39.1813,+0.707/~~
~~+0.707), (39.1814,-0.707/+0.707), (39.1815,-0.707/+0.707), (39.1816,-0.707/-0.707), (40.232,+1/~~
~~0), (40.233,+1/0), (40.234,+0.707/-0.707), (40.235,+0.707/-0.707), (40.704,+1/0), (40.705,+1/0),~~
~~(40.706,+0.707/-0.707), (40.707,+0.707/-0.707), (40.908,+1/0), (40.909,+1/0), (40.910,+0.707/~~
~~0.707), (40.911,-0.707/+0.707), (40.1225,+1/0), (40.1226,+1/0), (40.1227,+0.707/+0.707),~~
~~(40.1228,+0.707/-0.707), (40.1473,+1/0), (40.1474,+1/0), (40.1475,+0.707/-0.707), (40.1476,-~~
~~0.707/+0.707), (40.1813,+1/0), (40.1814,+1/0), (40.1815,+0.707/-0.707), (40.1816,-0.707/+0.707),~~

(0.448,+1/0)(0.449,+0.707/+0.707)(0.450,-0.707/-0.707)(0.451,-1/0)
(0.512,-1/0)(0.513,-0.707/+0.707)(0.514,+0.707/-0.707)(0.515,-1/0)
(0.984,-1/0)(0.985,+0.707/+0.707)(0.986,+0.707/-0.707)(0.987,-1/0)
(0.1189,+1/0)(0.1190,-0.707/-0.707)(0.1191,+0.707/+0.707)(0.1192,-1/0)
(0.1505,-1/0)(0.1506,-0.707/-0.707)(0.1507,-0.707/-0.707)(0.1508,+1/0)
(0.1753,-1/0)(0.1754,-0.707/-0.707)(0.1755,+0.707/-0.707)(0.1756,+1/0)
(1.448,-0.707/-0.707)(1.449,+0.707/-0.707)(1.450,+0.707/-0.707)(1.451,-0.707/+0.707)
(1.512,-0.707/+0.707)(1.513,-0.707/-0.707)(1.514,+0.707/-0.707)(1.515,-0.707/-0.707)
(1.984,+0.707/+0.707)(1.985,+0.707/+0.707)(1.986,-0.707/+0.707)(1.987,+0.707/+0.707)
(1.1189,+0.707/-0.707)(1.1190,-0.707/-0.707)(1.1191,+0.707/+0.707)(1.1192,-0.707/+0.707)
(1.1505,+0.707/+0.707)(1.1506,+0.707/+0.707)(1.1507,-0.707/+0.707)(1.1508,-0.707/+0.707)
(1.1753,-0.707/+0.707)(1.1754,-0.707/-0.707)(1.1755,+0.707/+0.707)(1.1756,+0.707/-0.707)
(2.448,+1/0)(2.449,+0.707/+0.707)(2.450,-0.707/-0.707)(2.451,+1/0)
(2.512,-1/0)(2.513,-0.707/-0.707)(2.514,-0.707/+0.707)(2.515,-1/0)
(2.984,+1/0)(2.985,+0.707/-0.707)(2.986,-0.707/+0.707)(2.987,-1/0)

(2,1189,+1/0)(2,1190,-0.707/+0.707)(2,1191,-0.707/+0.707)(2,1192,-1/0)
(2,1505,-1/0)(2,1506,-0.707/-0.707)(2,1507,+0.707/-0.707)(2,1508,+1/0)
(2,1753,-1/0)(2,1754,+0.707/-0.707)(2,1755,-0.707/+0.707)(2,1756,+1/0)
(3,328,-1/0)(3,329,+0.707/-0.707)(3,330,-0.707/-0.707)(3,331,-1/0)
(3,524,-1/0)(3,525,-0.707/+0.707)(3,526,+0.707/-0.707)(3,527,-1/0)
(3,784,-1/0)(3,785,-0.707/+0.707)(3,786,-0.707/+0.707)(3,787,-1/0)
(3,1209,-1/0)(3,1210,+0.707/-0.707)(3,1211,-0.707/-0.707)(3,1212,-1/0)
(3,1361,+1/0)(3,1362,+0.707/+0.707)(3,1363,+0.707/+0.707)(3,1364,+1/0)
(3,1601,+1/0)(3,1602,+0.707/+0.707)(3,1603,+0.707/-0.707)(3,1604,+1/0)
(4,328,+0.707/-0.707)(4,329,-0.707/+0.707)(4,330,+0.707/-0.707)(4,331,+0.707/+0.707)
(4,524,-0.707/+0.707)(4,525,-0.707/+0.707)(4,526,-0.707/-0.707)(4,527,+0.707/+0.707)
(4,784,+0.707/+0.707)(4,785,-0.707/-0.707)(4,786,-0.707/+0.707)(4,787,-0.707/+0.707)
(4,1209,-0.707/+0.707)(4,1210,+0.707/-0.707)(4,1211,-0.707/-0.707)(4,1212,-0.707/-0.707)
(4,1361,-0.707/-0.707)(4,1362,-0.707/+0.707)(4,1363,+0.707/+0.707)(4,1364,-0.707/+0.707)
(4,1601,-0.707/+0.707)(4,1602,+0.707/-0.707)(4,1603,-0.707/-0.707)(4,1604,-0.707/-0.707)
(5,328,+1/0)(5,329,-0.707/+0.707)(5,330,+0.707/+0.707)(5,331,+1/0)
(5,524,-1/0)(5,525,-0.707/+0.707)(5,526,+0.707/+0.707)(5,527,+1/0)
(5,784,+1/0)(5,785,+0.707/-0.707)(5,786,-0.707/+0.707)(5,787,-1/0)
(5,1209,-1/0)(5,1210,-0.707/+0.707)(5,1211,+0.707/-0.707)(5,1212,+1/0)
(5,1361,+1/0)(5,1362,+0.707/+0.707)(5,1363,-0.707/+0.707)(5,1364,-1/0)
(5,1601,-1/0)(5,1602,+0.707/-0.707)(5,1603,+0.707/+0.707)(5,1604,+1/0)

==== End text changes =====

4. References

- [1] IEEE 802.16-2004
- [2] P80216_Cor1_D4